PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen Career Development Program

X4740 Dr. Christensen's Frequent Failures and How to Avoid Them

Gordon J. Christensen, DDS, MSD, PhD

Materials Included

C.E. Instruction Sheet AGD Post-Test

Gordon J. Christensen PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING ACADEMY OF GENERAL DENTISTRY AND STATE CREDIT FOR CE VIDEOS

- 1. Complete the enclosed Post-Test.* For each <u>CE Video Purchased</u>, one test is included. If additional tests are needed, the following fees will apply: \$25 per test for 1 additional dentist; \$20 per test for each auxiliary (dental assistants, hygienists, lab technicians no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
- 2. Complete the demographic information located at the end of the test.

Type of Credit:

- a. If the applicant selects "AGD," PCC will send notification to both the applicant and the Academy of General Dentistry. (The AGD will also notify applicant of credits earned by printout information.)
- b. If the applicant selects "State," PCC will send a certificate of verification to the applicant. The applicant must then submit this certificate to his/her state board to obtain credit.
- c. If the applicant selects "Both," PCC will complete a. & b. above.
- 3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses 3707 N Canyon Road Suite 3D Provo, UT 84604 Fax: (801) 226-8637

info@pccdental.com

- 4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**
 - *TO OBTAIN CE CREDIT ONLINE: Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE**. Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. 5:00 p.m. MST to add it to your account.

POST-TEST

X4740 Dr. Christensen's Frequent Failures and How to Avoid Them

- 1. Endo access holes should be made:
 - a. large to allow adequate observation of canals.
 - b. small to preserve tooth structure.
 - c. neither of the above.
- 2. What provisional cement should be used for implant abutments?
 - a. Resin-modified glass ionomer
 - b. Zinc oxide eugenol
 - c. Premier Implant Cement
- 3. Aligners should be used for:
 - a. minimal orthodontic needs.
 - b. moderate orthodontic needs.
 - c. any orthodontic need.
 - d. both a and b.
- 4. Natural teeth and implants:
 - a. should never be connected.
 - b. can be connected using a modified cementation technique.
 - c. can be connected in a similar manner as connecting natural teeth.
- 5. Ceramic veneers should be cemented with:
 - a. RMGI.
 - b. dual-cure resin cement.
 - c. light-cure resin cement.
- 6. Titanium pins are used for:
 - a. providing anti-rotational resistance.
 - b. providing additional retention.
 - c. both a. and b.

POST-TEST

X4740 Dr. Christensen's Frequent Failures and How to Avoid Them

7.	Whitening teeth: a. is a short-term procedure. b. improves patient self-esteem. c. needs to be repeated in a few years. d. all the above.
8.	Implants should be inserted with as a lubricant. a. water b. blood
9.	Carbide burs with right angles on the tip of the bur: a. cause cracks in the remaining tooth structure. b. should be replaced with round-ended burs. c. both a. and b.
10.	When restoring a Class II lesion, cracks are most likely to cause later tooth fracture. a. vertical b. horizontal
11.	 An air emphysema is most likely to be caused by: a. using a front-end air exhaust handpiece when blowing into an open wound. b. not using care to avoid air getting into a facial space. c. using a rear exhaust handpiece. d. both a. and b.
12.	A Luxator is used to:a. rotate a tooth out of its socket.b. be placed mesial and distal into the periodontal ligament space to loosen teeth.c. be used especially for third-molar removal.d. none of the above.
13.	One of the most effective caries prevention medications is:

a. 0.23% acidulated phosphate fluoride rinse.b. conventional 1,000 ppm fluoride toothpaste.c. use of 5,000 ppm fluoride-containing toothpaste.

d. use of fluoride-containing floss.

POST-TEST

X4740 Dr. Christensen's Frequent Failures and How to Avoid Them

14. Placement of implants is contraindicated for:a. situations with mobile adjacent teeth.b. patients with heavy occlusal forces.c. smokers.d. all the above.
 15. An adequate tooth preparation for a crown hasmm of tooth structure from the cervical margin to the occlusal table. a. 2 b. 3 c. 4 d. 5
<u>PLEASE PRINT</u>
Name
Name of video purchaser (if different from above)
Address
City/State/Zip
Phone No
Email
Indicate which type of credit you wish to obtain: \Box AGD \Box State \Box Both
State License No AGD No
Payment information Visa American Express Mastercard Discover
Card # Expires/ CVV2-Code:

The test is complimentary for the purchaser. If you require CE tests for staff members or an additional doctor to receive

Dentist (limit 1 additional dentist per video purchase): \$25 **Auxiliary** (no limit): \$20 for each auxiliary taking test

credit, the fees are: