

PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen
Career Development Program

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

Gordon J. Christensen, DDS, MSD, PhD

Materials Included

C.E. Instruction Sheet
Products List
Clinicians Responsible
Goals & Objectives
Overview
References
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING
ACADEMY OF GENERAL DENTISTRY
AND STATE CREDIT
FOR CE VIDEOS

1. Complete the enclosed Post-Test. For each **CE Video Purchased**, one test is included. If additional tests are needed, the following fees will apply: \$25 per test per dentist (limit 1 additional dentist per video purchased); \$10 per test per auxiliary (dental assistants, hygienists, lab technicians - no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "AGD," PCC will send notification to both the applicant and the Academy of General Dentistry. (The AGD will also notify applicant of credits earned by printout information.)
 - b. If the applicant selects "State," PCC will send a certificate of verification to the applicant. The applicant must then submit this certificate to his/her state board to obtain credit.
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
info@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

Gordon J. Christensen
PRACTICAL CLINICAL COURSES
Sources of Products Discussed in
**V1992 Rescuing Failing Fixed Prosthodontic
and Direct Restorations**

Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. **Add & Bond**
Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717
(800)243-7446
(631)249-1134
www.parkell.com
2. **Blu-Mousse**
Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717
(800)243-7446
(631)249-1134
www.parkell.com
3. **Bulk EZ**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
(760)743-7744
www.zestdent.com
4. **1931 Midwest Bur**
Dentsply Sirona
221 West Philadelphia Street
Suite 60W
York, PA 17401
(844)848-0137
(717)845-7511
www.dentsplysirona.com
5. **7406, 7901, 7801 Burs
(Trimming & Finishing)**
Dentsply Sirona
221 West Philadelphia Street
Suite 60W
York, PA 17401
(844)848-0137
(717)845-7511
www.dentsplysirona.com
6. **Ceka Bond**
Preat Corporation
100 South 4th Street
Grover Beach, CA 93433
(800)232-7732
(805)202-3070
www.preat.com
7. **Christensen Crown Remover**
Hu-Friedy Mfg. Co., LLC
3232 North Rockwell Street
Chicago, IL 60618-5935
(800)483-7433
(773)975-6100
www.hu-friedy.com
8. **Clearfil Universal Bond Quick**
Kuraray America, Inc.
33 Maiden Lane, Suite 600-D
New York, NY 10038
(800)879-1676
(212)986-2230
www.kuraraydental.com
9. **Dyract Extra**
Dentsply Sirona
221 West Philadelphia Street
Suite 60W
York, PA 17401
(844)848-0137
(717)845-7511
www.dentsplysirona.com
10. **Enamelize**
Cosmedent, Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
11. **Equia Forte**
GC America
3737 West 127th Street
Alsip, IL 60803
(800)323-3386
(708)597-0900
www.gcamerica.com
12. **Filtek Supreme Ultra**
3M Oral Care
3M Center
Building 275-02-SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3m.com
13. **Fuji Cem 2**
GC America
3737 West 127th Street
Alsip, IL 60803
(800)323-3386
(708)597-0900
www.gcamerica.com
14. **GLUMA Desensitizer**
Kulzer North America
4315 South Lafayette Blvd.
South Bend, IN 46614
(800)431-1785
www.kulzerus.com
15. **Harmonize**
Kerr Corporation
1717 West Collins Avenue
Orange, CA 92867
(800)537-7123
(714)516-7400
www.kerrdental.com

16. **Intraoral Repair Kit**
BISCO Dental Products
1100 West Irving Park Road
Schaumburg, IL 60193
(800)247-3368
(847)534-6000
www.bisco.com
17. **Ivoclean**
Ivoclar Vivadent, Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us
18. **Ketac Universal**
3M Oral Care
3M Center
Building 275-02-SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3m.com
19. **Ligature Wire**
Hu-Friedy Mfg. Co., LLC
3232 North Rockwell Street
Chicago, IL 60618-5935
(800)483-7433
(773)975-6100
www.hu-friedy.com
20. **Liquid Magic**
TAUB Products
277 New York Avenue
Jersey City, NJ 07307
(800)828-2634
(201)798-5353
www.taubdental.com
21. **MicroEtcher IIA**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
(760)743-7744
www.zestdent.com
22. **MicroPrime G Desensitizer**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
(760)743-7744
www.zestdent.com
23. **Monobond Etch & Prime**
Ivoclar Vivadent, Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us
24. **NeoDiamond**
Microcopy
3120 Moon Station Road NW
Kennesaw, GA 30144
(800)235-1863
(770)425-5715
www.microcopydental.com
25. **New Metal Strips**
GC America
3737 West 127th Street
Alsip, IL 60803
(800)323-3386
(708)597-0900
www.gcamerica.com
26. **Noritake Materials**
Kuraray America, Inc.
33 Maiden Lane, Suite 600-D
New York, NY 10038
(800)879-1676
(212)986-2230
www.kuraraydental.com
27. **Politip**
Ivoclar Vivadent, Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us
28. **Premier Implant Cement**
Premier Dental
1710 Romano Drive
Plymouth Meeting, PA 19462
(888)670-6100
(610)239-6000
www.premusa.com
29. **Prisma Gloss**
Dentsply Sirona
221 West Philadelphia Street
Suite 60W
York, PA 17401
(844)848-0137
(717)845-7511
www.dentsplysirona.com
30. **RelyX Luting Plus**
3M Oral Care
3M Center
Building 275-02-SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3m.com
31. **RelyX Unicem 2**
3M Oral Care
3M Center
Building 275-02-SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3m.com
32. **Ribbonb ULTRA**
Ribbonb
1904 3rd Avenue
Suite 330
Seattle, WA 98101
(800)624-4554
(206)340-8870
www.ribbonb.com
33. **Safe Relax (Automatic)
Crown & Bridge Remover**
Anthogyr Inc.
1802 Alafaya Trail
Bldg. 11, Suite 710
Orlando, FL 32826
(404)495-5982
www.anthogyr.com
34. **Safe Remover (Manual)
Crown & Bridge Remover**
Anthogyr Inc.
1802 Alafaya Trail
Bldg. 11, Suite 710
Orlando, FL 32826
(404)495-5982
www.anthogyr.com

35. **Scotchbond Universal**
3M Oral Care
3M Center
Building 275-02-SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3m.com
36. **Single Diamond**
Meisinger USA, LLC
10200 E. Easter Avenue
Centennial, CO 80112
(866)634-7464
(303)268-5400
www.meisingerusa.com
37. **Solo Diamond**
Premier Dental
1710 Romano Drive
Plymouth Meeting, PA 19462
(888)670-6100
(610)239-6000
www.premusa.com
38. **Stim-U-Dents**
(By Johnson & Johnson)
Local Retail Stores
39. **Ultrapro Tx Pure**
Ultradent Products, Inc.
505 West 10200 South
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
40. **Zekrya Gingival Protector**
DMG America
65 Challenger Road
Suite 340
Ridgefield Park, NJ 07660
(800)662-6383
(201)894-5505
www.dmg-america.com
41. **Z-Prime Plus**
BISCO Dental Products
1100 West Irving Park Road
Schaumburg, IL 60193
(800)247-3368
(847)534-6000
www.bisco.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

CLINICIANS RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD
CEO, Practical Clinical Courses
CEO, CR Foundation
Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, viewers should be able to:

1. Describe the major challenges observed with failing fixed prosthodontic and direct restorations.
2. Explain the six characteristics of informed consent.
3. State several reasons why zirconia restorations are coming off in service.
4. Compare the failure rate of IPS e.max coming off in service related to zirconia.
5. Describe the method to repair ceramic broken from *single* tooth porcelain-fused-to-metal restorations.
6. Describe the method to repair ceramic broken from porcelain-fused-to-metal *fixed prosthesis restorations*.
7. Describe a repair for an open contact area on an amalgam restoration.
8. Describe a repair for an open contact area on a composite restoration.
9. Describe a repair for an open contact on an IPS e.max anterior restoration.
10. Describe a repair for an open contact on an IPS e.max posterior restoration.
11. Describe a repair for an open contact on a zirconia restoration.
12. Discuss a repair for a tooth with a composite restoration on the mesial surface and caries on the distal surface.
13. Describe the technique for restoring an endodontic access hole in a ceramic crown.
14. Describe the technique for restoring a screw access hole in an implant-supported ceramic crown.
15. List the steps to repair a zirconia crown with a significant chip on the facial surface.
16. Discuss repairing a zirconia-based crown with a large fractured MB cusp.
17. Describe how to remove a fixed prosthesis loose on one end.
18. Describe an overcrown.
19. List the steps in taking off a failing zirconia crown.
20. Describe splinting with orthodontic wire or resin-reinforced fibers and composite.

OVERVIEW

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

Repair of restorative treatment is seldom discussed in dental education, since the students have only a few months of clinical experience and other topics dominate the curricula. The following and other topics are included in this video presentation:

- The major challenges observed with failing fixed prosthodontic and direct restorations
- Six characteristics of informed consent
- Why zirconia restorations are coming off in service
- The failure rate of IPS e.max coming off in service related to zirconia
- The method to repair ceramic broken from single tooth porcelain-fused-to-metal restorations
- The method to repair ceramic broken from porcelain-fused-to-metal fixed prosthesis restorations
- Repair for an open contact area on an amalgam restoration
- Repair for an open contact area on a composite restoration
- Repair for an open contact on an IPS e.max anterior restoration
- Repair for an open contact on an IPS e.max posterior restoration
- Repair for an open contact on a zirconia restoration
- Repair for a tooth with a composite restoration on the mesial surface and caries on the distal surface
- The technique for restoring an endodontic access hole in a ceramic crown
- The technique for restoring a screw access hole in an implant-supported ceramic crown
- The steps to repair a zirconia crown with a significant chip on the facial surface
- Repairing a zirconia-based crown with a large fractured MB cusp
- How to remove a fixed prosthesis loose on one end
- What is an overcrown
- The steps in taking off a failing zirconia crown
- Splinting mobile teeth with orthodontic wire or resin-reinforced fibers and composite

REFERENCES

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

1. Christensen GJ. Ask Dr. Christensen: Is crown repair the best salvage? *Dental Economics*. 2018 Apr;108(4):73-74.
2. Brignardello-Petersen R. Repairing class II restorations seems to increase the longevity of direct class II restorations, but the benefit may vary substantially depending on the operator. *J Am Dent Assoc*. 2017 Sep;148(9):e135. doi: 10.1016/j.adaj.2017.06.039. Epub 2017 Jul 25.
3. Ruschel VC, Stolf SC, Shibata S, Baratieri LN. A Conservative Technique for Repairing Class IV Composite Restorations. *Oper Dent*. 2017 Jan/Feb;42(1):E10-E15. doi: 10.2341/15-316-T. Epub 2016 Sep 30.
4. Burke FJT. Technique Tips: A New Look at Repairing Fractured Metal-Ceramic Restorations: Use of a Universal Bonding System and Resin Composite, following Sandblasting. *Dent Update*. 2017 Jan;44(1):81.
5. Burke FJT. Technique Tips – Repairing Fractured Metal-Ceramic Restorations using Tribochemical Impregnation. *Dent Update*. 2016 Dec;43(10):989.
6. Kanzow P, Wiegand A, Schwendicke F. Cost-effectiveness of repairing versus replacing composite or amalgam restorations. *J Dent*. 2016 Nov;54:41-47. doi: 10.1016/j.jdent.2016.08.008. Epub 2016 Aug 26.
7. Christensen GJ. Ask Dr. Christensen: When to do heroic repairs of fixed prostheses. *Dental Economics*. 2013 Sep;103(9):36-43.
8. Christensen GJ. Ask Dr. Christensen: PFM Repair. *Dental Economics*. 2009 Oct;99(10).
9. Christensen GJ. When and how to repair a failing restoration. *J Am Dent Assoc*. 2007 Dec;138(12):1605-7.
10. Christensen GJ. Ask Dr. Christensen: Repairing Posterior Crowns & Latex Allergy. *Dental Economics*. 2001 Oct:70-72.
11. Christensen GJ. Salvaging and Repairing Crowns and Fixed Prostheses. *J Am Dent Assoc*. 1994 Aug;125(8):1127-30.

POST-TEST

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

1. Informed consent:
 - a. requires only informing the patient of what happens if you do nothing.
 - b. is not necessary for repair procedures since many are transitional.
 - c. includes 6 requirements.
 - d. includes 5 requirements.

2. Zirconia crowns:
 - a. of generation 1 are very strong.
 - b. can come off frequently during service.
 - c. are not easy to cut off preps.
 - d. all of the above.

3. Ceramic broken off a PFM single crown:
 - a. requires an overcrown.
 - b. can often be provisionally repaired with a composite bonded restoration.
 - c. should always have a new crown.
 - d. usually causes pulpal damage.

4. IPS e.max restorations:
 - a. come off frequently in service.
 - b. segregate at the tooth-cement interface, when they come off.
 - c. require an MDP primer for repair.
 - d. do not require a silane primer for repair.

5. Ceramic broken off a multi-unit fixed prosthesis:
 - a. can be repaired best with a bonded resin.
 - b. can be repaired best with an overcrown.
 - c. does not need an MDP primer when using an overcrown.
 - d. when repaired with an overcrown, is NOT a long-term service.

6. Restoring an endodontic access hole in an IPS e.max crown:
 - a. is usually a long-term repair.
 - b. should have patient informed consent about the potential of later failure.
 - c. usually does not require an opaquer agent.
 - d. requires an MDP primer.

7. Closing an open contact on a posterior zirconia restoration:
 - a. usually does not require a new crown.
 - b. is capable of being repaired long-term with a composite bonded to the zirconia.
 - c. is not usually a problem for the patient.
 - d. all of the above are false.

POST-TEST (CONT'D)

V1992 Rescuing Failing Fixed Prosthodontic and Direct Restorations

8. A fixed partial denture loose on one end:
 - a. should always be removed and remade.
 - b. can usually not be removed and recemented.
 - c. can be removed and cemented with a light-cured cement.
 - d. can be removed and recemented with a dual- or auto-cure cement.

9. Splinting mobile anterior teeth:
 - a. is usually a difficult procedure.
 - b. can be done with a wire or fiber-reinforced composite splint.
 - c. usually requires splinted crowns.
 - d. has to be an expensive procedure.

10. A product suggested for filling the screw-tightening holes in implants is:
 - a. MDP primer.
 - b. silane.
 - c. Liquid Magic.
 - d. tin foil.

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Indicate which type of credit you wish to obtain AGD State Both

AGD No. _____

State License No. _____