

# **PRACTICAL CLINICAL COURSES**

A Service of the Gordon J. Christensen  
Career Development Program

## **V1928 Effective Provisional Restorations**

Gordon J. Christensen, DDS, MSD, PhD

### **Materials Included**

C.E. Instruction Sheet  
Products List  
Clinician Responsible  
Goals & Objectives  
Overview  
References  
AGD Post-Test

**Gordon J. Christensen**  
**PRACTICAL CLINICAL COURSES**

**PROCEDURE FOR RECEIVING**  
**ACADEMY OF GENERAL DENTISTRY**  
**AND STATE CREDIT**  
**FOR DVDS**

1. Complete the enclosed Post-Test.\* For each **CE Video Purchased**, one test is included. If additional tests are needed, the following fees will apply: \$25 per test for 1 additional dentist; \$10 per test for each auxiliary (dental assistants, hygienists, lab technicians - no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
2. Complete the demographic information located at the end of the test.  
**Type of Credit:**
  - a. If the applicant selects "State," PCC will send a certificate of verification to the applicant. The applicant must then submit this certificate to his/her state board to obtain credit.
  - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted. (The applicant may check their AGD transcript for verification – please allow 30 days.)
  - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

**Practical Clinical Courses**  
**3707 N Canyon Road**  
**Suite 3D**  
**Provo, UT 84604**  
**Fax: (801) 226-8637**  
[info@pccdental.com](mailto:info@pccdental.com)

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

***\*TO OBTAIN CE CREDIT ONLINE:*** Login or create an account on [www.pccdental.com](http://www.pccdental.com) and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 5:00 p.m. MST to add it to your account.

Gordon J. Christensen  
**PRACTICAL CLINICAL COURSES**

*Sources of Products Discussed in*

**V1928 Effective Provisional Restorations**

Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. **Accufilm II**  
Parkell Inc.  
300 Executive Drive  
Edgewood, NY 11717  
(800)243-7446  
(631)249-1134  
[www.parkell.com](http://www.parkell.com)
2. **Bioplant HTR**  
Kerr Corporation  
1717 West Collins Avenue  
Orange, CA 92867  
(800)537-7123  
(714)516-7400  
[www.kerrdental.com](http://www.kerrdental.com)
3. **Blu-Mousse Super-Fast**  
Parkell Inc.  
300 Executive Drive  
Edgewood, NY 11717  
(800)243-7446  
(631)249-1134  
[www.parkell.com](http://www.parkell.com)
4. **Connect**  
Kerr Lab  
1717 West Collins Avenue  
Orange, CA 92867  
(888)766-7650  
(714)516-7650  
[www.kerrdental.com](http://www.kerrdental.com)
5. **Cool Temp**  
Coltene/Whaledent  
235 Ascot Parkway  
Cuyahoga Falls, OH 44223  
(800)221-3046  
(330)916-8800  
[www.coltenewhaledent.com](http://www.coltenewhaledent.com)
6. **Crown Forms**  
Dentsply International  
221 West Philadelphia Street  
P.O. Box 872  
York, PA 17405-0872  
(800)877-0020  
(717)845-7511  
[www.dentsply.com](http://www.dentsply.com)
7. **Direct Crowns**  
Direct Crown Products  
895 Country Club Road  
Suite B-100  
Eugene, OR 97401  
(888)910-4490  
(541)344-5876  
[www.directcrown.com](http://www.directcrown.com)
8. **E-Cutter**  
Brasseler U.S.A.  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
9. **Embonte 2**  
Dux Dental  
600 East Hueneme Road  
Oxnard, CA 93033-8600  
(800)833-8267  
(805)488-1122  
[www.duxdental.com](http://www.duxdental.com)
10. **Fermit-N**  
Ivoclar Vivadent, Inc.  
175 Pineview Drive  
Amherst, NY 14228  
(800)533-6825  
(716)691-0010  
[www.ivoclarvivadent.us.com](http://www.ivoclarvivadent.us.com)
11. **Fiber Splint ML**  
Polydentia SA  
Strada Cantonale  
CH-6805 Mezzovico  
SWITZERLAND  
41-91-946-2948  
[www.polydentia.com](http://www.polydentia.com)
12. **Fibreflex**  
BioComp  
4526 Telephone Road  
Suite 204  
Ventura, CA 93003  
(805)644-4892  
[biocompltd@aol.com](mailto:biocompltd@aol.com)
13. **GC Crowntek**  
GC America, Inc.  
3737 West 127<sup>th</sup> Street  
Alsip, IL 60803  
(800)323-3386  
(708)597-0900  
[www.gcamerica.com](http://www.gcamerica.com)
14. **Gelfoam Sponge**  
Pfizer Inc.  
201 Tabor Road  
Morris Plains, NJ 07950  
(800)223-0182  
(973)385-0000  
[www.prodhelp.com](http://www.prodhelp.com)
15. **Gold Anodized Temporary Crowns**  
3M ESPE Dental Products  
3M Center  
Bldg. 275-02-SE-03  
St. Paul, MN 55144-1000  
(800)634-2249  
(651)575-5144  
[www.3mespe.com](http://www.3mespe.com)

16. **Gorgeous Temp**  
Den-Mat Corporation  
P.O. Box 1729  
Santa Maria, CA 93456  
(800)433-6628  
(805)922-8491  
[www.denmat.com](http://www.denmat.com)
17. **Integrity Temporary Crown & Bridge Material**  
Dentsply Caulk  
38 West Clarke Avenue  
Milford, DE 19963-0359  
(800)532-2855  
(302)422-4511  
[www.dentsply.com](http://www.dentsply.com)
18. **Jet**  
Lang Dental Mfg. Co., Inc.  
175 Messner Drive  
P.O. Box 969  
Wheeling, IL 60090  
(800)222-5264  
(847)215-6622  
[www.langdental.com](http://www.langdental.com)
19. **Luxatemp**  
Zenith Dental  
242 South Dean Street  
Englewood, NJ 07631  
(800)662-6383  
(201)894-5500  
[www.zenithdental.com](http://www.zenithdental.com)
20. **Madame Butterfly**  
Almore International, Inc.  
P.O. Box 25214  
Portland, OR 97298-0214  
(800)547-1511  
(503)643-6633  
[www.almore.com](http://www.almore.com)
21. **Minitray**  
Hager Worldwide, Inc.  
13322 Byrd Drive  
Odessa, FL 33556  
(800)328-2335  
(813)926-7474  
[www.hagerworldwide.com](http://www.hagerworldwide.com)
22. **Minute Stain**  
George Taub Products  
277 New York Avenue  
Jersey City, NJ 07307  
(800)828-2634  
(201)798-5353  
[www.taubdental.com](http://www.taubdental.com)
23. **Moore Microfill Finishing Discs**  
E.C. Moore Co., Inc.  
13325 Leonard Street  
P.O. Box 353  
Dearborn, MI 48121  
(800)331-3548  
(313)581-7878  
[www.ecmoore.com](http://www.ecmoore.com)
24. **NexTemp Temporary Cement**  
Premier Dental Products Co.  
1710 Romano Drive  
Plymouth Meeting, PA 19462  
(888)670-6100  
(610)239-6000  
[www.premusa.com](http://www.premusa.com)
25. **Nogenol**  
GC America, Inc.  
3737 West 127<sup>th</sup> Street  
Alsip, IL 60803  
(800)323-3386  
(708)597-0900  
[www.gcamerica.com](http://www.gcamerica.com)
26. **Occlusal Indicator Wax**  
Kerr Lab  
1717 West Collins Avenue  
Orange, CA 92867  
(888)766-7650  
(714)516-7650  
[www.kerrdental.com](http://www.kerrdental.com)
27. **Patient Presentation Model**  
BioTemps Dental Laboratory  
2181 Dupont Drive  
Irvine, CA 92612  
(800)411-9723  
(949)863-5500  
[www.bdlprosthetics.com](http://www.bdlprosthetics.com)
28. **Polycarbonate Crowns**  
3M ESPE Dental Products  
3M Center  
Bldg. 275-02-SE-03  
St. Paul, MN 55144-1000  
(800)634-2249  
(651)575-5144  
[www.3mespe.com](http://www.3mespe.com)
29. **Premier Implant Cement**  
Premier Dental Products Co.  
1710 Romano Drive  
Plymouth Meeting, PA 19462  
(888)670-6100  
(610)239-6000  
[www.premusa.com](http://www.premusa.com)
30. **Protemp 3 Garant**  
3M ESPE Dental Products  
3M Center  
Bldg. 275-02-SE-03  
St. Paul, MN 55144-1000  
(800)634-2249  
(651)575-5144  
[www.3mespe.com](http://www.3mespe.com)
31. **Protemp Crown**  
3M ESPE Dental Products  
3M Center  
Bldg. 275-02-SE-03  
St. Paul, MN 55144-1000  
(800)634-2249  
(651)575-5144  
[www.3mespe.com](http://www.3mespe.com)
32. **Radica**  
Dentsply International  
221 West Philadelphia Street  
P.O. Box 872  
York, PA 17405-0872  
(800)877-0020  
(717)845-7511  
[www.dentsply.com](http://www.dentsply.com)
33. **RelyX Temp NE**  
3M ESPE Dental Products  
3M Center  
Bldg. 275-02-SE-03  
St. Paul, MN 55144-1000  
(800)634-2249  
(651)575-5144  
[www.3mespe.com](http://www.3mespe.com)

34. **Revotek LC**  
GC America, Inc.  
3737 West 127<sup>th</sup> Street  
Alsip, IL 60803  
(800)323-3386  
(708)597-0900  
[www.gcamerica.com](http://www.gcamerica.com)
35. **Ribbon**  
Ribbon Inc.  
1402 Third Avenue  
Suite 1030  
Seattle, WA 98101-2118  
(800)624-4554  
(206)340-8870  
[www.ribbon.com](http://www.ribbon.com)
36. **Snap**  
Parkell Inc.  
300 Executive Drive  
Edgewood, NY 11717  
(800)243-7446  
(631)249-1134  
[www.parkell.com](http://www.parkell.com)
37. **Systemp.c&b**  
Ivoclar Vivadent, Inc.  
175 Pineview Drive  
Amherst, NY 14228  
(800)533-6825  
(716)691-0010  
[www.ivoclarvivadent.us.com](http://www.ivoclarvivadent.us.com)
38. **Systemp.link**  
Ivoclar Vivadent, Inc.  
175 Pineview Drive  
Amherst, NY 14228  
(800)533-6825  
(716)691-0010  
[www.ivoclarvivadent.us.com](http://www.ivoclarvivadent.us.com)
39. **TempBond**  
Kerr Corporation  
1717 West Collins Avenue  
Orange, CA 92867  
(800)537-7123  
(714)516-7400  
[www.kerrdental.com](http://www.kerrdental.com)
40. **TempBond NE**  
Kerr Corporation  
1717 West Collins Avenue  
Orange, CA 92867  
(800)537-7123  
(714)516-7400  
[www.kerrdental.com](http://www.kerrdental.com)
41. **TempBond Clear**  
Kerr Corporation  
1717 West Collins Avenue  
Orange, CA 92867  
(800)537-7123  
(714)516-7400  
[www.kerrdental.com](http://www.kerrdental.com)
42. **TempoCem**  
Zenith Dental  
242 South Dean Street  
Englewood, NJ 07631  
(800)662-6383  
(201)894-5500  
[www.zenithdental.com](http://www.zenithdental.com)
43. **TempSpan**  
Pentron Clinical Technologies  
53 North Plains Industrial Road  
Wallingford, CT 06492-0724  
(800)551-0283  
(203)265-7397  
[www.pentron.com](http://www.pentron.com)
44. **Trim**  
Bosworth Company  
7227 North Hamlin Avenue  
Skokie, IL 60076-3999  
(800)323-4352  
(847)679-3400  
[www.bosworth.com](http://www.bosworth.com)
45. **Unifast LC**  
GC America, Inc.  
3737 West 127<sup>th</sup> Street  
Alsip, IL 60803  
(800)323-3386  
(708)597-0900  
[www.gcamerica.com](http://www.gcamerica.com)
46. **Vita Zeta**  
Vident  
3150 East Birch Street  
Brea, CA 92821  
(800)828-3839  
(714)961-6200  
[www.vident.com](http://www.vident.com)
47. **Zone**  
Dux Dental  
600 East Hueneme Road  
Oxnard, CA 93033-8600  
(800)833-8267  
(805)488-1122  
[www.duxdental.com](http://www.duxdental.com)

***Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.***

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604  
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

## **PROGRAM**

### **V1928 Effective Provisional Restorations**

#### **CLINICIAN RESPONSIBLE**

**Gordon J. Christensen, DDS, MSD, PhD**

CEO, Practical Clinical Courses

CEO, CR Foundation

Practicing Prosthodontist, Provo, Utah

#### **GOALS & OBJECTIVES**

At the completion of this video presentation, participants should be able to accomplish the following:

1. Discuss the importance of provisional restorations (PR).
2. Discuss the role of staff members in making PR.
3. List the characteristics of an ideal PR.
4. Describe what a PR must accomplish.
5. Discuss prefabricated PR.
6. Discuss custom-made PR.
7. Discuss laboratory-made PR.
8. Compare the various chemical compositions of resin used for PR.
9. Discuss and compare several methods to make a single-tooth PR.
10. Make a PR for a single-tooth preparation and a three-unit fixed prosthesis.
11. Discuss PR for inlays and onlays.
12. Make a PR for an inlay or onlay.
13. Discuss and list the steps for reinforcing a three-unit PR.
14. Discuss making a multi-unit PR and make a three-unit PR.
15. Compare having a laboratory make a long-span PR shell vs. making the PR shell in your office.
16. Compare provisional cements.
17. Discuss the negative effects related to long-term use of PR.
18. List several negative factors in final restorations that can be related to PR.
19. Discuss dealing with PR breakage and how to prevent it.
20. Discuss the importance or lack of importance of esthetic considerations in PR.

## OVERVIEW

### **V1928 Effective Provisional Restorations**

Provisional restorations (PR) are an important step in making crowns and fixed prostheses. Often PRs contribute to negative characteristics in final restorations. Staff members can be educated to make excellent PRs, and delegating this task is legal in most geographic locations. When staff members make PRs, the time savings is highly significant. As much time is required to make an adequate PR as to accomplish the tooth preparations and make the impressions.

There are many types of PRs available to practitioners, and the type of PR selected by a specific practitioner is directly related to the opinions and needs of the dentist. An ideal PR has the following characteristics:

- Occlusion not too high or low
- Contact areas tight
- Margins closed
- Color similar to remaining teeth
- Anatomy similar to that desired for the final restoration

The described characteristics can be achieved by using different methods. This presentation describes and compares the several methods to make adequate PR for single-tooth restorations, three-unit fixed prostheses, and multi-unit full-arch restorations. The several types of resin described and compared for PR are:

- PMMA – polymethyl methacrylate
- PEMA – polyethyl methacrylate
- PVEMA – polyvinylethyl methacrylate
- MEMA – methylethyl methacrylate
- BIS-Acryl

The following negative factors and how to avoid them are discussed:

- Long-term use of PR
- PR breakage during service
- Wear of PR
- Resin discoloration during service
- Occlusion too high or too low
- Loose contact areas
- Open margins
- Over contoured PR
- Tooth sensitivity during PR service
- PR coming off during service
- Provisional cement dissolution

The controversy concerning eugenol containing vs. non-eugenol containing provisional cements is discussed. Either may be used with success, but eugenol containing provisional cements are well known to produce less tooth sensitivity during service of the PR than non-eugenol containing provisional cements. How to educate staff members to make PR is discussed and emphasized. Educating patients about the short-term characteristics of PR is very important to them accepting the temporary nature of PR and to long-term restoration success.

## REFERENCES

1. Christensen GJ. Developing a great dental team. JADA 1997; 128:1703-4.
2. Christensen GJ. Why expand the role of dental staff members? JADA 2001; 132:529-31.
3. Christensen GJ. Improving quality and speed in providing fixed prosthodontics. JADA 2004; 135:333-35.
4. Christensen GJ. Making provisional restorations easy, predictable and economical. JADA 2004; 135:625-27.
5. Kim Y, Yamashita J, Shotwell J, Chong K, Wang H. The comparison of provisional luting agents and abutment surface roughness on retention of provisional implant-supported crowns. The Journal of Prosthetic Dentistry. 2006 Jun;95(6):450-455.
6. Lieu C, Nguyen TM, Payant L. In vitro comparison of peak polymerization temperatures of 5 provisional restoration resins. J Can Dent Assoc. 2001;67:36-9.
7. Nivedita S, Prithviraj DR. A comparative study to evaluate the marginal accuracy of provisional restorations fabricated by light polymerized resin and autopolymerized resin: a scanning electron microscope study. J Indian Prosthodont Soc. 2006;6(3):122-7.
8. Rego M, Santiago L. Retention of provisional crowns cemented with eight temporary cements. Comparative study. Journal of Applied Oral Science. 2004 Jul/Sep;12(3) Bauru.
9. Wassell RW, St. George G, Ingledew RP, Steele JG. Crowns and other extra-coronal restorations: provisional restorations. British Dental Journal. 2002 Jun;192(11):619-30.



## POST-TEST

### V1928 Effective Provisional Restorations

1. Dental assistants making provisional restorations can:
  - a. become very proficient with the technique.
  - b. expand their usefulness to the practice.
  - c. rapidly gain the confidence of patients.
  - d. all of the above.
  
2. A good provisional restoration:
  - a. has the same level of occlusal contacts as the adjacent teeth.
  - b. exactly matches the color of the adjacent teeth.
  - c. fits the margin with no more than 1.0 mm of opening.
  - d. is under contoured to reduce occlusal forces.
  
3. Prefabricated provisional restorations:
  - a. usually exactly fit gingival margins before lining.
  - b. are all made of polyethyl methacrylate.
  - c. have roughened internal surfaces for retention.
  - d. usually require relining with resin before cementation.
  
4. The most commonly used provisional resin type usually does not have:
  - a. low exotherm.
  - b. low polymerization shrinkage.
  - c. high filler content.
  - d. more than one color.
  
5. The suggested material for inlay/onlay provisional restorations:
  - a. is a polymethyl methacrylate resin.
  - b. is a polyethyl methacrylate resin.
  - c. is a BIS-GMA resin.
  - d. is a modified microfill resin.
  
6. Provisional restorations should be reinforced with fibers:
  - a. always.
  - b. occasionally.
  - c. never.
  - d. only if over 3 units.
  
7. Currently, the most popular type of resin used for provisional restorations is:
  - a. BIS-Acryl.
  - b. PMMA.
  - c. PEMA.
  - d. modified microfill.

**POST-TEST (CONT'D)**

**V1928 Effective Provisional Restorations**

- 8. One of the best ways to fabricate a long-span provisional restoration is to line previously set \_\_\_\_\_ with \_\_\_\_\_.
  - a. PEMA with PMMA
  - b. PMMA with PEMA
  - c. BIS-Acryl with PEMA
  - d. none of the above
  
- 9. If a provisional restoration is too low when cemented, the final restoration will likely be:
  - a. too high.
  - b. too low.
  - c. just right.
  - d. open on the contact areas.
  
- 10. When a prepared tooth is allowed to serve without a provisional restoration, the result will probably be:
  - a. tooth sensitivity.
  - b. tooth extrusion.
  - c. inadequate contact areas when the final restoration is seated.
  - d. all of the above.

**PLEASE PRINT**

Name \_\_\_\_\_

Name of video purchaser (if different from above) \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Phone No. \_\_\_\_\_

Email \_\_\_\_\_

Indicate which type of credit you wish to obtain:  AGD  State  Both

State License No. \_\_\_\_\_ AGD No. \_\_\_\_\_

Payment information  Visa  American Express  Mastercard  Discover

Card # \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Expires \_\_\_\_ / \_\_\_\_ CVV2-Code: \_\_\_\_\_

The test is complimentary for the purchaser. *If you require CE tests for staff members or an additional doctor to receive credit, the fees are:*

**Dentist** (limit 1 additional dentist per video purchase): \$25

**Auxiliary** (no limit): \$10 for each auxiliary taking test