

PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen
Career Development Program

V3969

Common Frustrating Oral Diseases – Diagnosis & Treatment

John A. Svirsky, DDS, MEd
Gordon J. Christensen, DDS, MSD, PhD

Materials Included

C.E. Instruction Sheet
Products List
Clinician Responsible
Goals & Objectives
Overview
References
AGD Post-Test
Non-SLS Toothpastes
Therapy – Treatments

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING
ACADEMY OF GENERAL DENTISTRY
AND STATE CREDIT
FOR DVDS

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one test is included. If additional tests are needed, the following fees will apply: \$25 per test for 1 additional dentist; \$10 per test for each auxiliary (dental assistants, hygienists, lab technicians - no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "State," PCC will send a certificate of verification to the applicant. The applicant must then submit this certificate to his/her state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted. (The applicant may check their AGD transcript for verification – please allow 30 days.)
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
info@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

****TO OBTAIN CE CREDIT ONLINE:*** Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 5:00 p.m. MST to add it to your account.

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

Sources of Products Discussed in

V3969 Common Frustrating Oral Diseases – Diagnosis & Treatment

Presented by: John A. Svirsky, DDS, MEd & Gordon J. Christensen, DDS, MSD, PhD

1. **Auromere Herbal Toothpaste Non-Foaming**
PureFormulas Inc.
11800 NW 102nd Road
Suite 2
Medley, FL 33178
(800)383-6008
www.pureformulas.com
2. **Biotene Fluoride Toothpaste**
GlaxoSmithKline
5 Crescent Drive
Philadelphia, PA 19112
(888)825-5249
www.biotene.com
3. **Clobetasol Propionate (Temovate)**
Local Pharmacy - PharmaDerm
www.pharmaderm.com
4. **ClōSYS Sulfate-Free Fluoride Toothpaste**
Rowpar Pharmaceuticals
16100 N. Greenway Hayden Loop
Scottsdale, AZ 85260
(480)948-6997
www.closys.com
5. **Dapsone**
Local Pharmacy
6. **Debacterol**
Local Distributor –
EPIEN Medical, Inc.
www.epien.com
7. **Dexamethasone Elixir**
Local Pharmacy –
Qualitest Pharmaceuticals
www.qualitestrx.com
8. **Diphenhydramine (Benadryl) Elixir**
Local Retailer
www.benadryl.com
9. **Doxycycline**
Local Pharmacy –
West-Ward Pharmaceuticals Corp.
www.west-ward.com
10. **Fluocinonide (Lidex)**
Local Pharmacy –
Teva Pharmaceuticals USA
www.tevausa.com
11. **Hydroxychloroquine (Plaquenil)**
Local Pharmacy –
Prasco Laboratories
www.prasco.com
12. **Lidocaine (Xylocaine) Viscous 2%**
Local Pharmacy
13. **Maalox**
Local Retailer – Novartis Consumer
Health, Inc.
www.maaloxus.com
14. **Prednisone**
Local Pharmacy –
West-Ward Pharmaceuticals Corp.
www.west-ward.com

15. **Sensodyne ProNamel Mint
Essence Toothpaste**
Local Retailer – GlaxoSmithKline
www.pronamel.us

16. **Silver Nitrate Applicators**
Local Distributor –
Tech-Med Services, Inc.
www.tech-medservices.com

17. **Tacrolimus (Prograf)**
Local Pharmacy –
Astellas Pharma US, Inc.
www.prograf.com

18. **Tacrolimus (Protopic)**
Local Pharmacy –
Astellas Pharma US, Inc.
www.us.astellas.com

19. **Tincture of Benzoin**
Local Distributor –
Ellman International, Inc.
www.ellman.com

20. **Tom's of Maine Clean & Gentle
with Fluoride Natural**
Tom's of Maine Store
20 Constitution Blvd. South
Shelton, CT 06484
(855)415-0069
www.tomsomainestore.com

21. **XyliWhite Toothpaste Gel**
NOW Solutions – a Division of NOW Foods
244 Knollwood Drive
Suite 300
Bloomington, IL 60108
(888)669-3663
www.nowfoods.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

CLINICIANS RESPONSIBLE:

John A. Svirsky, DDS, MEd

Director, Oral Diagnosis, Oral Medicine, Oral Pathology
Virginia Commonwealth University, School of Dentistry
Richmond, Virginia

Gordon J. Christensen, DDS, MSD, PhD

CEO, Practical Clinical Courses
CEO, CR Foundation
Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, participants should be able to accomplish the following:

1. List two other names for aphthous stomatitis.
2. Describe the clinical characteristics of aphthous stomatitis.
3. List three suggested medications for aphthous stomatitis.
4. Describe the most favored treatment for aphthous stomatitis.
5. List five factors that may contribute to aphthous stomatitis.
6. Describe the clinical characteristics of lichen planus.
7. List three suggested medications for lichen planus.
8. Describe the most favored treatment for lichen planus.
9. Describe the constituents for "magic mouthwash".
10. Discuss the differences between aphthous ulcers and lichen planus.
11. Describe the clinical characteristics of chronic ulcerative stomatitis.
12. List three suggested medications for chronic ulcerative stomatitis.
13. Describe the most favored treatment for chronic ulcerative stomatitis.
14. List five factors that may contribute to chronic ulcerative stomatitis.
15. Discuss the relationship of lichen planus to chronic ulcerative stomatitis.
16. Describe the clinical characteristics of benign mucous membrane pemphigoid.
17. List three suggested medications for benign mucous membrane pemphigoid.
18. Describe the most favored treatment for benign mucous membrane pemphigoid.
19. Describe the suggested steps in diagnosing and treatment planning for oral lesions.
20. Discuss which of the four conditions discussed in the video is most potentially dangerous.

OVERVIEW

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

This video presents information that is not commonly known among many dentists and physicians, although the four clinical conditions described occur quite routinely in practice. The following topics are included in the video:

- Aphthous stomatitis
- Aphthous stomatitis treatment
- Questions discussed about aphthous stomatitis
- Aphthous stomatitis treatment summarized
- Lichen planus
- Lichen planus treatment
- Questions discussed about lichen planus
- Lichen planus treatment summarized
- Chronic ulcerative stomatitis
- Chronic ulcerative stomatitis treatments
- Questions discussed about ulcerative stomatitis treatment
- Chronic ulcerative stomatitis treatment summarized
- Benign mucous membrane pemphigoid
- Benign mucous membrane pemphigoid treatment
- Questions discussed about benign mucous membrane pemphigoid
- Benign mucous membrane pemphigoid treatment summarized
- Live patient demonstration of diagnosis of oral lesion and suggested treatment
- Additional educational resources

REFERENCES

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

1. Chamani G, Rad M, Zarei MR, Lotfi S, Sadeghi M, Ahmadi Z. Efficacy of tacrolimus and clobetasol in the treatment of oral lichen planus: a systematic review and meta-analysis. *Int J Dermatol*. 2015 Sep;54(9):996-1004. doi: 10.1111/ijd.12925. Epub 2015 Jul 23.
2. Kim TW, Kim WI, Mun JH, Song M, Kim HS, Kim BS, Kim MB, Ko HC. Patch Testing with Dental Screening Series in Oral Disease. *Ann Dermatol*. 2015 Aug;27(4):389-93. doi: 10.5021/ad.2015.27.4.389. Epub 2015 Jul 29.
3. Ombrello MJ. Advances in the genetically complex autoinflammatory diseases. *Semin Immunopathol*. 2015 Jul;37(4):403-6. doi: 10.1007/s00281-015-0498-0. Epub 2015 Jun 16.
4. Dillenburg CS, Martins MA, Almeida LO, Meurer L, Squarize CH, Martins MD, Castilho RM. Epigenetic Modifications and Accumulation of DNA Double-Strand Breaks in Oral Lichen Planus Lesions Presenting Poor Response to Therapy. *Medicine (Baltimore)*. 2015 Jul;94(30):e997. doi: 10.1097/MD.0000000000000997.
5. Lopez-Jornet P, Cayuela CA, Tvarijonaviciute A, Parra-Perez F, Escribano D, Ceron J. Oral lichen planus: salival biomarkers cortisol, immunoglobulin A, adiponectin. *J Oral Pathol Med*. 2015 Jul 27. doi: 10.1111/jop.12345. [Epub ahead of print].
6. Zad M, Flowers SA, Bankvall M, Jontell M, Karlsson NG. Salivary mucin MUC7 oligosaccharides in patients with recurrent aphthous stomatitis. *Clin Oral Investig*. 2015 Jun 9. [Epub ahead of print].
7. Hamishehkar H, Nokhodchi A, Ghanbarzadeh S, Kouhsoltani M. Triamcinolone Acetonide Oromucosal Adhesive Paste for Treatment of Aphthous Stomatitis. *Adv Pharm Bull*. 2015 Jun;5(2):277-82. doi: 10.15171/apb.2015.038. Epub 2015 Jun 1.
8. Tarakji B, Gazal G, Al-Maweri SA, Azzeghaiby SN, Alaizari N. Guideline for the diagnosis and treatment of recurrent aphthous stomatitis for dental practitioners. *J Int Oral Health*. 2015 May;7(5):74-80.
9. Murrell DF, Marinovic B, Caux F, Prost C, Ahmed R, Wozniak K, Amagai M, Bauer J, Beissert S, Borradori L, Culton D, Fairley JA, Fivenson D, Jonkman MF, Marinkovich MP, Woodley D, Zone J, Aoki V, Bernard P, Bruckner-Tuderman L, Cianchini G, Venning V, Diaz L, Eming R, Grandt SA, Hall RP, Hashimoto T, Herrero-González JE, Hertl M, Joly P, Karpati S, Kim J, Chan Kim S, Korman NJ, Kowalewski C, Lee SE, Rubenstein DR, Sprecher E, Yancey K, Zambruno G, Zillikens D, Doan S, Daniel BS, Werth VP. Definitions and outcome measures for mucous membrane pemphigoid: recommendations of an international panel of experts. *J Am Acad Dermatol*. 2015 Jan;72(1):168-74. doi: 10.1016/j.jaad.2014.08.024. Epub 2014 Nov 4.
10. Stoopler ET, Sollecito TP. Oral mucosal diseases: evaluation and management. *Med Clin North Am*. 2014 Nov;98(6):1323-52. doi: 10.1016/j.mcna.2014.08.006. Epub 2014 Sep 22.

REFERENCES (CONT'D)

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

11. Bankvall M, Sjöberg F, Gale G, Wold A, Jontell M, Östman S. The oral microbiota of patients with recurrent aphthous stomatitis. *J Oral Microbiol.* 2014 Oct 29;6:25739. doi: 10.3402/jom.v6.25739. eCollection 2014.
12. Slebioda Z, Szponar E, Kowalska A. Recurrent aphthous stomatitis: genetic aspects of etiology. *Postepy Dermatol Alergol.* 2013 Apr;30(2):96-102. doi: 10.5114/pdia.2013.34158. Epub 2013 Apr 12.
13. Mays JW, Sarmadi M, Moutsopoulos NM. Oral manifestations of systemic autoimmune and inflammatory diseases: diagnosis and clinical management. *J Evid Based Dent Pract.* 2012 Sep;12(3 Suppl):265-82. doi: 10.1016/S1532-3382(12)70051-9.
14. Fourie J, van Heerden WF, McEachen SC, van Zyl A. Chronic ulcerative stomatitis: a distinct clinical entity? *SADJ.* 2011 Apr;66(3):119-21.
15. Grushka M, Ching V, Epstein J. Burning mouth syndrome. *Adv Otorhinolaryngol.* 2006;63:278-87. Review.
16. Akintoye SO, Greenberg MS. Recurrent aphthous stomatitis. *Dental Clinics of North America.* 2005 Jan;49(1):31-47,vii-viii.
17. Grushka M, Epstein JB, Gorsky M. Burning mouth syndrome and other oral sensory disorders: a unifying hypothesis. *Pain Res Manag.* 2003 Fall;8(3):133-5. Review.
18. Eisen D. The clinical features, malignant potential, and systemic associations of oral lichen planus: a study of 723 patients. *J Am Acad Dermatol.* 2002 Feb;46(2):207-14.
19. Grushka M, Epstein JB, Gorsky M. Burning mouth syndrome. *American Family Physician.* 2002;65:615-20.
20. Neville BW, Damm DD, Allen CM, Bouquot JE. *Oral & Maxillofacial Pathology (Second Edition).* Philadelphia: W.B. Saunders. 2002:398-404.
21. Lozada-Nur F, Miranda C. Oral lichen planus: epidemiology, clinical characteristics, and associated diseases. *Semin Cutan Med Surg.* 1997;16:273-7.

POST-TEST

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

1. Aphthous stomatitis is:
 - a. communicable.
 - b. typically found on the palate and gingiva.
 - c. very painful.
 - d. viral etiology.

2. Treatment for aphthous stomatitis is:
 - a. always clobetasol gel.
 - b. relatively simple.
 - c. continued for one month.
 - d. effective in stopping aphthous stomatitis for several years.

3. Lichen planus:
 - a. usually follows a session of aphthous stomatitis.
 - b. is twice as common in men as in women.
 - c. can be psychogenic and stress induced.
 - d. responds well to antiviral medications.

4. Lichen planus:
 - a. is not a chronic disease.
 - b. occurs frequently in children.
 - c. is commonly accompanied with skin lesions.
 - d. is usually in young women.

5. Lichen planus:
 - a. can be medication induced.
 - b. most commonly occurs on the lips.
 - c. is always painful.
 - d. can be diet controlled.

6. Skin lesions related to lichen planus are:
 - a. purple.
 - b. polygonal.
 - c. papular.
 - d. pruritic.
 - e. all of the above.

7. Chronic ulcerative stomatitis:
 - a. treatment responds well to steroids.
 - b. may possibly be a severe variant of lichen planus.
 - c. is easily differentiated from oral lichen planus.
 - d. has very specific and identifiable histologic characteristics.

POST-TEST (CONT'D)

V3969 Common Frustrating Oral Diseases - Diagnosis & Treatment

- 8. Benign mucous membrane pemphigoid:
 - a. occurs on the skin.
 - b. is primarily vesicles and bullae.
 - c. is found more in men than in women.
 - d. does not have blood-filled vesicles.

- 9. Benign mucous membrane pemphigoid:
 - a. primary treatment is dapsone.
 - b. primary treatment is doxycycline 50-200 mg per day with or without topical and systemic steroids.
 - c. primary treatment is nicotinamide.
 - d. primary treatment is tetracycline.

- 10. Aphthous stomatitis can be caused by:
 - a. trauma.
 - b. stress.
 - c. allergy.
 - d. all of the above.

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Email _____

Indicate which type of credit you wish to obtain: AGD State Both

State License No. _____ AGD No. _____

Payment information Visa American Express Mastercard Discover

Card # _____ - _____ - _____ - _____ Expires ____/____ CVV2-Code: _____

The test is complimentary for the purchaser. *If you require CE tests for staff members or an additional doctor to receive credit, the fees are:*

Dentist (limit 1 additional dentist per video purchase): \$25

Auxiliary (no limit): \$10 for each auxiliary taking test

NON-SLS Toothpastes

- Auromere Herbal Toothpaste Non-Foaming
- Biotene Fluoride Toothpaste
- CloSYS Sulfate-Free Fluoride Toothpaste
- Sensodyne ProNamel Mint Essence Toothpaste
- Tom's of Maine Clean and Gentle with Fluoride Natural
- XyliWhite Toothpaste Gel

Ulcerative Disease Therapy

- Systemic
 - Prednisone 20 mg tablets
 - Disp: 24
 - Twelve days starting with 60 mg/day with food in AM for 4 days followed by 40 mg/day for 4 days and 20 mg/day for 4 days.
- Systemic
 - Prednisone 10 mg tablets
 - Disp: 30
 - Twelve days starting with 40 mg/day with food in AM for 3 days followed by 30 mg/day for 3 days. Then, 20 mg/day for 3 days and 10 mg/day for 3 days.

Aphthous Ulcerations

- Dexamethasone elixir .5mg/5ml
 - Disp: 12-16 oz.
 - Sig: Rinse with 1 tsp. for 2 minutes bid-qid and expectorate.
- Fluocinonide (Lidex) .05% gel
 - Disp: 15 or 30 gm tube
 - Sig: Apply a thin amount 2-3 times daily. (Ignore external use only.)
- Diphenhydramine (Benadryl) elixir 12.5 mg/5 ml with Maalox
 - Disp: Equal amounts of each
 - Sig: Rinse with 1-2 tsp. q2h prn (especially before meals) and expectorate.
 - Refrigerate
- Lidocaine (Xylocaine) viscous 2%
 - Disp: 4 oz.
 - Sig: Apply to affected area q4h prn pain.
- Magic Mouthwash (1 part viscous lidocaine 2% + 1 part Maalox + 1 part diphenhydramine 12.5 mg per 5 ml elixir)
 - Disp: 240 ml bottle
 - Sig: Rinse and (especially before meals) expectorate 5 ml prn – up to 4 times/day.
 - Refrigerate
- Suck on ice (do not chew).

Lichen Planus

- Clobetasol propionate .05% gel (Temovate)(Ignore external use only.)
 - Disp: 15 or 30 gram tube
 - Sig: Apply a thin amount to affected area bid.
- Dexamethasone elixir .5 mg/5 ml
 - Disp: 12-16 oz.
 - Sig: Rinse with 1 tsp. for 2 minutes bid-qid and expectorate.
- Prednisone 10 mg tablets (Under 130 lbs.)
 - Disp: 30
 - Sig: Use 40 mg/day in AM with food for 3 days followed by 30, 20, & 10 mg in the morning with food for 3 days each.
- Prednisone 20 mg tablets (130 lbs. or More)
 - Disp: 24
 - Sig: Take 3 tablets (60 mg) in morning with food for 4 days, followed by 2 tablets (40 mg) in the morning with food for 4 days. Then, take 1 tablet (20 mg) in the morning with food for 4 days.
- Tacrolimus (Protopic) 0.1% ointment
 - Disp: 30 gram tube
 - Sig: Apply a thin layer to the affected area and rub in gently tid.
- Tacrolimus (Prograf) 1 mg capsules (off label use)
 - Disp: one capsule and mix in 1000 ml of sterile water
 - Sig: Gargle with 1-2 tsp. and expectorate QID.
- Palliative mouth rinses are listed under aphthous ulcerations.

Chronic Ulcerative Stomatitis

- Hydroxychloroquine (Plaquenil) 200 mg tablets
 - Disp: 60
 - Sig: Take 1 tablet by mouth BID.
- Tacrolimus (Prograf) 1 mg capsules (off label use)
 - Disp: one capsule and mix in 1000 ml of sterile water
 - Sig: Gargle with 1-2 tsp. and expectorate QID.
- Lichen planus therapy tried first.

Benign Mucous Membrane Pemphigoid

- Doxycycline: from 50 mg to 200 mg QD in single or divided doses
- Topical and/or systemic steroids
- Palliative mouth rinses