

PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen
Career Development Program

V1904

Reliable, Simple Treatment of Cracked Teeth

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:

C.E. Instruction Sheet
Products List
Clinicians Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING
CE CREDIT FOR VIDEO COURSES

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one test is included. If additional tests are needed, the following fees will apply: \$25 per test for 1 additional dentist; \$10 per test for each auxiliary (dental assistants, hygienists, lab technicians - no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted (the applicant may check their AGD transcript for verification – please allow 30 days).
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
info@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

***TO OBTAIN CE CREDIT ONLINE:** Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 4:00 p.m. MST to add it to your account.

Gordon J. Christensen
PRACTICAL CLINICAL COURSES
Sources of Products Discussed in
V1904 Reliable, Simple Treatment of Cracked Teeth
Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. **Bore Light by Remington**
Local Sporting Goods Store
2. **DEXIS CariVu**
KaVo Dental
200 S. Kraemer Blvd., Bldg. E2
Brea, CA 92821
(888)275-5286
(714)516-7400
www.kavo.com
3. **Endo-Eze MTAFlow Repair Cement Kit**
Ultradent Products, Inc.
505 West 10200 South
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
4. **G5 All-Purpose Desensitizer**
Clinician's Choice Dental
Products
P.O. Box 1706
New Milford, CT 06776
(800)265-3444
www.clinicianschoice.com
5. **GC FujiCEM Evolve**
GC America Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-7063
(708)597-0900
www.gcamerica.com
6. **GLUMA Desensitizer**
Kulzer North America
4315 South Lafayette Blvd.
South Bend, IN 46614
(800)431-1785
www.kulzerus.com
7. **LUM**
Digital Doc LLC
4789 Golden Foothill Parkway
El Dorado Hills, CA 95762
(800)518-1102
(916)941-8010
www.digi-doc.com
8. **Lumindex 3 LED Transilluminator**
Practicon Inc.
1112 Sugg Parkway
Greenville, NC 27834
(800)959-9505
(252)752-5183
www.practicon.com
9. **Microlux 2 Transilluminator**
AdDent, Inc.
43 Miry Brook Road
Danbury, CT 06810
(855)211-3413
(203)778-0200
www.addent.com
10. **MicroPrime G**
Zest Dental Solutions
2875 Loker Avenue East
Carlsbad, CA 92010
(800)262-2310
(442)244-4835
www.zestdent.com
11. **Occlusal Indicator Wax**
Kerr Corporation
200 S. Kraemer Blvd., Bldg. E2
Brea, CA 92821
(800)537-7123
(714)516-7400
www.kerrdental.com
12. **ProRoot MTA**
Dentsply Sirona
13320-B Ballantyne Corporate
Place
Charlotte, NC 28277
(800)877-0020
(844)848-0137
www.dentsplysirona.com
13. **RelyX Luting Plus Cement**
3M
3M Center, Bldg. 275-02-SE-03
St. Paul, MN 55144-1000
(888)364-3577
(651)733-1110
www.3m.com
14. **Scotchbond Universal**
3M
3M Center, Bldg. 275-02-SE-03
St. Paul, MN 55144-1000
(888)364-3577
(651)733-1110
www.3m.com
15. **Tooth Slooth Fracture Detector**
Local Dealers

16. **Tooth Slooth Fracture
Detector**

Practicon Inc.
1112 Sugg Parkway
Greenville, NC 27834
(800)959-9505
(252)752-5183
www.practicon.com

17. **VITA Toothguide 3D-MASTER**

VITA North America
22705 Savi Ranch Parkway,
Suite 100
Yorba Linda, CA 92887
(800)828-3839
www.vitanorthamerica.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V1904 Reliable, Simple Treatment of Cracked Teeth

CLINICIAN RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD

Founder and CEO, Practical Clinical Courses

Senior Consultant & Previous CEO, CR Foundation

Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, viewers should be able to:

1. Discuss the incidence of the cracked tooth syndrome (CTS).
2. List the types of cracks.
3. List the signs and symptoms of the CTS.
4. Describe the “bite test” as a diagnostic aid.
5. Discuss the use of transillumination as a diagnostic aid.
6. Discuss the use of conventional radiographs as a diagnostic aid.
7. Discuss the use of cone-beam radiographs as a diagnostic aid.
8. Discuss the use of staining teeth as a diagnostic aid.
9. List potential other oral conditions that could be confused with the CTS.
10. List the 5 types of cracks defined by the American Association of Endodontists.
11. Describe the appearance of craze lines.
12. Describe a fractured cusp.
13. Describe a cracked tooth.
14. Describe a split root.
15. Describe a vertical tooth fracture.
16. List and describe treatment for craze lines.
17. List and describe treatment for a fractured cusp.
18. List and describe treatment for a cracked tooth.
19. List and describe treatment for a split root.
20. List and describe treatment for a vertical root fracture.

OVERVIEW

V1904 Reliable, Simple Treatment of Cracked Teeth

The cracked tooth syndrome (CTS) is a commonly occurring challenge in dental practice. This syndrome is one of the most difficult to diagnose and treat of any condition encountered in dentistry. The following are factors relating to the CTS:

- The syndrome varies from painless craze lines to teeth cracked in half.
- The articles on CTS often contradict one another.
- The American Association of Endodontists has developed a classification for the CTS.
- Estimates state it occurs at least once per week in studies of full-time practices.
- It is age related; older patients have more cracked teeth.
- Usually CTS occurs in patients over 40 years of age.
- It is occlusion related - excursive movements, bruxers.
- CTS is the third most common cause of tooth loss.
- It is up to three times more likely to occur if marginal ridge is removed vs. marginal ridge present.
- Hard foods are often responsible.
- Usually molars and premolars are affected, seldom anterior teeth.
- Estimates state that complete tooth fracture occurs up to 5 fractured teeth per 100 adults.
- One study showed cracks in nearly 10% of teeth.
- It is estimated that 15% of cracks involve the pulp.
- More frequent in females.
- Mandibular first molar is most frequent, but this is controversial.
- Maxillary first molar is the second most frequent cracked tooth.
- Occurs mostly in restored teeth, but also in non-restored teeth.
- Often related to previously endodontically treated teeth.
- Some cracked teeth need endodontic treatment, while others don't.

OVERVIEW (CONT'D)

V1904 Reliable, Simple Treatment of Cracked Teeth

The following and other topics are included in this presentation:

- Incidence of the cracked tooth syndrome (CTS)
- Types of cracks
- Signs and symptoms of the CTS
- The “bite test” as a diagnostic aid
- The use of transillumination as a diagnostic aid
- The use of conventional radiographs as a diagnostic aid
- The use of cone-beam radiographs as a diagnostic aid
- The use of staining teeth as a diagnostic aid
- Potential other oral conditions that could be confused with the CTS
- The 5 types of cracks defined by the American Association of Endodontists
- The appearance of craze lines
- Fractured cusps
- Cracked teeth
- Split roots
- Vertical tooth fracture
- Treatment for craze lines
- Treatment for a fractured cusp
- Treatment for a cracked tooth
- Treatment for a split root
- Treatment for a vertical root fracture

SUPPLEMENTAL MATERIALS

V1904 Reliable, Simple Treatment of Cracked Teeth

1. Christensen GJ. [Ask Dr. Christensen: Let's save teeth!](#) Dental Economics. 2020 Mar;110(3)
2. Leong DJX, de Souza NN, Sultana R, Yap AU. [Outcomes of endodontically treated cracked teeth: a systematic review and meta-analysis.](#) Clin Oral Investig. 2020 Jan;24(1):465-473. doi: 10.1007/s00784-019-03139-w. Epub 2019 Dec 4.
3. Hilton TJ, Funkhouser E, Ferracane JL, Schultz-Robins M, Gordan VV, Bramblett BJ, Snead RM Jr, Manning W, Remakel JR; National Dental PBRN Collaborative Group. [Recommended treatment of cracked teeth: Results from the National Dental Practice-Based Research Network.](#) J Prosthet Dent. 2020 Jan;123(1):71-78. doi: 10.1016/j.prosdent.2018.12.005. Epub 2019 Jun 12.
4. Christensen GJ. [Ask Dr. Christensen: When should teeth be removed?](#) Dental Economics. 2019 Apr;109(4):69-71.
5. Ferracane JL, Funkhouser E, Hilton TJ, Gordan VV, Graves CL, Giese KA, Shea W, Pihlstrom D, Gilbert GH; National Dental Practice-Based Research Network Collaborative Group. [Observable characteristics coincident with internal cracks in teeth: Findings from The National Dental Practice-Based Research Network.](#) J Am Dent Assoc. 2018 Oct;149(10):885-892.e6. doi: 10.1016/j.adaj.2018.06.013. Epub 2018 Aug 15.
6. Christensen GJ. [Ask Dr. Christensen: What is the best type of material for posterior crowns?](#) Dental Economics. 2018 Oct;108(10):79-82.
7. Christensen GJ. [Ask Dr. Christensen: Is cone beam really necessary?](#) Dental Economics. 2018 May;108(5):88-90.
8. Krell KV, Caplan DJ. [12-month Success of Cracked Teeth Treated with Orthograde Root Canal Treatment.](#) J Endod. 2018 Apr;44(4):543-548. doi: 10.1016/j.joen.2017.12.025. Epub 2018 Feb 21.
9. Hilton TJ, Funkhouser E, Ferracane JL, Gordan VV, Huff KD, Barna J, Mungia R, Marker T, Gilbert GH; National Dental PBRN Collaborative Group. [Associations of types of pain with crack-level, tooth-level and patient-level characteristics in posterior teeth with visible cracks: Findings from the National Dental Practice-Based Research Network.](#) J Dent. 2018 Mar;70:67-73. doi: 10.1016/j.jdent.2017.12.014. Epub 2017 Dec 28.

POST-TEST

V1904 Reliable, Simple Treatment of Cracked Teeth

1. What is the treatment for craze lines in teeth?
 - a. Orthodontic band to hold tooth segments together
 - b. Remove all previous restorative materials
 - c. Place a crown
 - d. Usually nothing

2. What is the treatment for a fractured cusp?
 - a. Usually nothing
 - b. Orthodontic band to hold the tooth segments together
 - c. A crown or onlay
 - d. Endodontic treatment

3. What is the initial treatment indicated in this video for a “cracked tooth” using the description of cracked tooth listed by the American Association of Endodontists?
 - a. Immediate endodontic treatment
 - b. Orthodontic band to hold the tooth segments together
 - c. Diagnostic temporary crown or onlay
 - d. Place a bonded composite

4. What is the initial treatment for an apparently split root?
 - a. Diagnostic temporary crown or onlay
 - b. Immediate endodontic treatment
 - c. Place a bonded composite
 - d. Orthodontic band to hold the tooth segments together

5. What is the usual treatment for a vertical root fracture?
 - a. Diagnostic temporary crown or onlay
 - b. Immediate endodontic treatment
 - c. Extraction
 - d. Orthodontic band to hold the tooth segments together

6. When treating a visible crack in a tooth after taking the old restoration out, what is the first step?
 - a. Place a bonding agent
 - b. Place two 1-minute applications of glutaraldehyde
 - c. Place MTA on the crack
 - d. Place a bonded composite restoration

7. When treating a visible crack in a tooth after taking the old restoration out, what is the second step?
 - a. Place a bonding agent
 - b. Place two 1-minute applications of glutaraldehyde
 - c. Place MTA on the crack
 - d. Place a bonded composite restoration

POST-TEST (CONT'D)

V1904 Reliable, Simple Treatment of Cracked Teeth

8. When treating a visible crack in a tooth after taking the old restoration out, what is the third step?
 - a. Place a bonding agent
 - b. Place two 1-minute applications of glutaraldehyde
 - c. Place MTA on the crack
 - d. Place a bonded composite restoration

9. When treating a visible crack in a tooth after taking the old restoration out, what is the fourth step?
 - a. Place a bonding agent
 - b. Place two 1-minute applications of glutaraldehyde
 - c. Place MTA on the crack
 - d. Prepare the tooth for a crown or onlay

10. What is one of the most important steps when treating the CTS?
 - a. Always place Dycal on the crack
 - b. Place glutaraldehyde on the tooth after the crown has been placed
 - c. Provide thorough informed consent relative to the potential success of the treatment
 - d. Place MTA on the margins after the crown is seated

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____ Email _____

Indicate which type of credit you wish to obtain AGD State Both

AGD No. _____ State License No. _____

Payment information Visa American Express Mastercard Discover

Card # _____ - _____ - _____ - _____ Expires ____ / ____ CVV2-Code: _____

The test is complimentary for the purchaser. *If you require CE tests for staff members or an additional doctor to receive credit, the fees are:*

Dentist (limit 1 additional dentist per video purchase): \$25

Auxiliary (no limit): \$10 for each auxiliary taking test