

PRACTICAL CLINICAL COURSES
A Service of the Gordon J. Christensen
Career Development Program

X1316
Efficient & Smart Endodontics for GPs

John D. West, DDS, MSD
Gordon J. Christensen, DDS, MSD, PhD

Materials Included:
C.E. Instruction Sheet
Products List
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING
CE CREDIT FOR VIDEO COURSES

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted (the applicant may check their AGD transcript for verification – please allow 30 days).
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
cetests@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

****TO OBTAIN CE CREDIT ONLINE:*** Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 4:00 p.m. MST to add it to your account.

Product Resource List

Product	Company	Phone Number
Access Kit including 'X" gates	Dentsply/Sirona Endo	800.662.1202
Calamus: Flow, Downpack, Dual, and Manual Pluggers	Dentsply/Sirona Endo	800.662.1202
Chemet (DMSA)	Union Avenue Compounding Pharmacy	253.752.1705
Coronaflex	Kavo	800.323.8029
Chlor-XTRA	Vista Dental	877.418.4782
Digital X-ray and 3-D conebeam technology	Carestream	800.667.1780
Electric High Speed	NSK	800.323.8029
Electric Rotary/Reciprocation Motors (ProMark / X-Smart)	Dentsply/Sirona Endo	800.662.1202
Endodontic Cart	ASI	800.566.9953
EndoActivator	Dentsply/Sirona Endo	800.662.1202
Hand-files (K-files, C-files)	Dentsply/Sirona Endo Tulsa Dental	800.662.1202
JW 17 Microexplorers, microprobes, microspatulas	Dowell	877.373.8904
Kerr Pulp Canal Sealer	Sybron Endo	800.346.3636
Microscope and Microsurgeon Chair	Global Surgical Corp. Zeiss	800.861.3585 800.442.4020
MTA	Dentsply/Sirona Endo	800.662.1202
Mueller Burs	Brasseler	800.841.4522
MultiWave Narrow Posterior Heat Carrier (29001)	Sybron Endo	800.346.3636
ProTaper Gold, ProGlider, WaveOne Gold, Gold Glider	Dentspoly/Sirona Endo	800.346.1202
NanoFlow Gutta Percha, obturators, Gutta-Core, paper points	Dentsply/Sirona Endo	800.662.1202
Q-Mix	Dentsply/Sirona	800.662.1202
Apex Locator	Dentsply/Sirona	800.662.1202
Stropko Irrigators	John J Stropko, DDS	888.848.6919
System B Heat Source	Sybron Endo	800.346.3636
Ultrasonic Motor	Dentsply/Sirona Endo	800.662.1202
Ultrasonic Tips	Dentsply/Sirona Endo	800.662.1202
Vitality Scanner (Model 2006)	Sybron Endo	800.346.3636

"Exceeding Expectations"

POST-TEST

X1316 Efficient & Smart Endodontics for GPs

1. Pulp dies and calcify in what direction?
 - a. Inside out
 - b. Crown-down
 - c. Apex to crown
 - d. All the above

2. The best way to “Find” canals is:
 - a. by owning and operating a microscope.
 - b. using dark color chamber roadmaps.
 - c. using ultrasonic then Mueller bur “white dot”
 - d. all the above.

3. What is the technique for the “Q-Mix” trick for creating calcified canal patency?
 - a. Follow dark roadmap using new ultrasonic tip so that it sands vs. grinds.
 - b. Follow ultrasonic tip penetration with new Mueller bur to reveal “white dot” of hydroxyapatite dust.
 - c. Q-Mix tapped against hydroxyapatite filled canal’s “white dot” using EndoActivator for TEN minutes.
 - d. Observe if “white dot” has now become dark empty canal entrance ready to Follow with an .06 manual file.
 - e. All the above.

4. What are the three critical watchwords for manual Glidepath (Slidepath) preparation?
 - a. Push, Push, Push
 - b. Pray, Pray, Pray
 - c. Restraint, Restraint, Restraint
 - d. Fast, Fast, Fast

5. A Glidepath (Slidepath) is validated by:
 - a. an instrument at radiographic terminus.
 - b. an apex locator.
 - c. a loose #10 manual file.
 - d. feel.
 - e. none of the above.

6. The TWO manual motions needed to “Follow” from orifice to radiographic terminus are:
 - a. Envelope and Follow.
 - b. Follow and Balance.
 - c. Watch wind and Follow.
 - d. Follow and Envelope.
 - e. Two of the above.

POST-TEST

X1316 Efficient & Smart Endodontics for GPs

7. The manual motion(s) after a #10 is “Followed” to the radiographic terminus include(s):
 - a. Smoothies.
 - b. Watch wind.
 - c. Envelope.
 - d. Smoothies and The wiggle (if tight).
 - e. All of the above.

8. Glidepath (Slidepath) is produced by which irrigant sequence?
 - a. EDTA
 - b. NaOCl and alcohol
 - c. NaOCl and occasional viscous chelator when apical collagen is suspected
 - d. Viscous chelator alone when apical collagen is suspected
 - e. NaOCl and water

9. The “fatal flaw(s)” of endodontics include(s):
 - a. dentin mud.
 - b. broken instrument.
 - c. collagen.
 - d. blocks, ledges, transportations.
 - e. all the above.

10. Which of the following are techniques for “expanding” the Glidepath (Slidepath):
 - a. #15 file used in a Watch Wind motion to length
 - b. ProGlider if using ProTaper Gold Rotary
 - c. #15 file used in a Balance motion
 - d. GoldGlider if using WaveOne Gold Reciprocation
 - e. b, c, and d
 - f. b and d

11. The Watchwords for ProTaper Gold Shapers are:
 - a. Brush/Follow.
 - b. Follow/Balance.
 - c. Follow/Brush.
 - d. Follow, Brush, Balance.

12. The Watchwords for ProTaper Gold Finishers are:
 - a. Follow/Follow.
 - b. Brush/Follow.
 - c. Follow/Brush.
 - d. Follow/Balance.

POST-TEST

X1316 Efficient & Smart Endodontics for GPs

13. When shaping with WaveOne, what is/are the critical step(s) in between each pass?
- a. Irrigate
 - b. Confirm patency
 - c. Clean flutes of dentin shavings and/or debris
 - d. Irrigate again
 - e. All the above
14. When is the ProTaper Gold or WaveOne Gold preparation finished?
- a. When the apical blades are loaded with dentin
 - b. When the cone fits
 - c. When the size verifier fits
 - d. When the conefit radiograph reveals desired and proper apical position
 - e. All the above
15. Post Shaping Irrigation/disinfection protocol should include the following sequence of irrigants:
- a. NaOCl, EDTA, alcohol, dry
 - b. Alcohol, EDTA, NaOCl, dry
 - c. EDTA, NaOCl, alcohol, dry
 - d. Water, NaOCl, EDTA, alcohol, dry

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Email _____

Indicate which type of credit you wish to obtain: AGD State Both

State License No. _____ AGD No. _____

Payment information Visa American Express Mastercard Discover

Card # _____ - _____ - _____ - _____ Expires ____ / ____ CVV2-Code: _____

For each **CE Video Purchased**, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test.*

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.