

PRACTICAL CLINICAL COURSES
*A Service of the Gordon J. Christensen
Career Development Program*

V2551
Predictable Removable Partial Dentures

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:

C.E. Instruction Sheet
Products List
Clinician Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

**PROCEDURE FOR RECEIVING
CE CREDIT FOR VIDEO COURSES**

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry and confirmation to the applicant that it has been submitted (*the applicant may check their AGD transcript for verification – please allow 30 days*).
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses
3707 N Canyon Road
Suite 3D
Provo, UT 84604
Fax: (801) 226-8637
cetests@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

***TO OBTAIN CE CREDIT ONLINE:** Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 4:00 p.m. MST to add it to your account.

Gordon J. Christensen
PRACTICAL CLINICAL COURSES
Sources of Products Discussed in
V2551 Predictable Removable Partial Dentures
Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. **Accufilm II**
Parkell, Inc.
300 Executive Drive
Edgewood, NY 11717
(800)243-7446
(631)249-1134
www.parkell.com
2. **Articulators**
Whip Mix Corporation
361 Farmington Avenue
P.O. Box 17183
Louisville, KY 40217
(800)626-5651
(502)637-1451
www.whipmix.com
3. **Disposable Scalpel**
Local Distributors
4. **Easy Cure 2 Light Curing Tray (Replacement for Triad 2000)**
Henry Schein Dental
135 Duryea Road
Melville, NY 11747
(800)372-4346
(631)843-5500
www.henryschein.com
5. **ERA Attachment System:**
Sterngold Dental, LLC
23 Frank Mossberg Drive
Attleboro, MA 02703-0967
(800)243-9942
(508)226-5660
www.sterngold.com
6. **ERA Attachment System:**
Zimmer Dental
1900 Aston Avenue
Carlsbad, CA 92008
(800)854-7019
(760)929-4300
www.zimmerdental.com
7. **Examix**
GC America, Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-3386
(708)597-0900
www.gcamerica.com
8. **Fit Checker**
GC America, Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-3386
(708)597-0900
www.gcamerica.com
9. **Implant Support Company**
Attachments International
824 Cowan Road
Burlingame, CA 94010-1205
(800)999-3003
(650)340-0393
www.attachments.com
10. **Imtec Mini Implant**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
11. **Lab Burs**
Brasseler USA
One Brasseler Blvd.
Savannah, GA 31419
(800)841-4522
(912)925-8525
www.brasselerusa.com
12. **Madame Butterfly Silk**
Almore International, Inc.
P.O. Box 25214
Portland, OR 97298
(800)547-1511
(503)643-6633
www.almore.com
13. **Megatray Custom Tray Material (Replacement for Triad TruTray)**
Henry Schein Dental
135 Duryea Road
Melville, NY 11747
(800)372-4346
(631)843-5500
www.henryschein.com
14. **Models**
Salvin Dental Specialties
3450 Latrobe Drive
Charlotte, NC 28211
(800)535-6566
(704)442-5400
www.salvin.com

15. **Permadyne**
Solventum
2510 Conway Avenue
St. Paul, MN 55144
(855)423-6725
(612)842-1263
www.3m.com
16. **PermaSoft**
Dentsply Sirona Inc.
13320-B Ballantyne Corporate
Charlotte, NC 28277
(800)877-0020
www.dentsplysirona.com
17. **Pink Base Plate Wax**
Coltene/Whaledent
235 Ascot Parkway
Cuyahoga Falls, OH 44223
(800)221-3046
(330)916-8800
www.coltene.com
18. **ProMax 3D**
PLANMECA USA
100 North Gary Avenue
Suite A
Roselle, IL 60172
(630)529-2300
www.planmecausa.com
19. **Ridge Caliper**
Salvin Dental Specialties
3450 Latrobe Drive
Charlotte, NC 28211
(800)535-6566
(704)442-5400
www.salvin.com
20. **Schick SDX**
Schick Technologies
30-30 47th Avenue
Suite 500
Long Island City, NY 11101
(877)724-4254
(718)937-5765
www.schicktech.com
21. **Snap-Stone**
Whip Mix Corporation
361 Farmington Avenue
P.O. Box 17183
Louisville, KY 40217
(800)626-5651
(502)637-1451
www.whipmix.com
22. **Triad 2000 (See Easy Cure 2 Light Curing Tray)**
23. **Triad TruTray (See Megatray Custom Tray Material)**

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V2551 Predictable Removable Partial Dentures

CLINICIAN RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD

*Founder and CEO, Practical Clinical Courses
Senior Consultant & Previous CEO, CR Foundation
Practicing Prosthodontist, Provo, Utah*

GOALS & OBJECTIVES

On completion of this video, viewers should be able to:

1. Discuss the history of removable partial dentures (RPDs).
2. Describe why RPDs have been a challenge for both patients and dentists.
3. List alternatives for RPDs.
4. List the advantages of using implants with RPDs.
5. Describe the various implants that can be used with RPDs.
6. Discuss innovative treatment plans using implants with RPDs for Kennedy classes I, II, III, and IV.
7. Discuss types of implant abutment attachments to be used with RPDs.
8. Discuss use of RPDs as transitional treatment, leading on to fixed prosthodontics.
9. Discuss RPDs as final treatment.
10. List the sequence of treatment using implants under a new RPD.
11. Describe the diagnostic appointment for RPDs.
12. List the steps in making a final impression for an RPD.
13. Describe how the final impression can be made in such a way that the RPD does not rock.
14. Discuss the need for occlusal rests and tooth contouring when using RPDs.
15. Describe the desirable characteristics for metal frameworks.
16. List the steps when determining the centric jaw relation.
17. List important factors during the tooth try-in.
18. List the steps when seating the RPD.
19. Discuss occlusal considerations for RPDs.
20. Describe the steps in postoperative adjustments.

OVERVIEW

V2551 Predictable Removable Partial Dentures

Removable partial dentures have always been a significant negative procedure for both patients and dentists. Why they are a problem is quite identifiable. They have clasps that can be uncomfortable and unesthetic. They often loosen and sensitize natural teeth to which they are connected. They become loose over a relatively short period of service, and when tightened, they feel good for only a short time. All dentists have broken partial denture clasps when attempting to tighten them. Some patients lose their partials. Dogs eat them if they are left out of the mouth and in an accessible location. Yes, occasionally any of us can make a partial that is really liked by the patient. Unfortunately, the frequency of such success is limited.

The content of this video can reduce or eliminate most of the problems described above. The following and other subjects are included in this presentation:

- The frustrating history of removable partial dentures (RPDs)
- Alternatives for RPDs
- Advantages of using implants with RPDs
- Types of implants for use with RPDs
- Innovative treatment plans using implants with RPDs
- Implants and Kennedy Class Is
- Implants and Kennedy Class IIs
- Implants and Kennedy Class IIIs
- Implants and Kennedy Class IVs
- Types of attachments
- RPDs as transitional treatment
- RPDs as final treatment
- Sequence of treatment for new RPDs using implants
- Diagnostic appointment
- Implant placement
- Appearance of patient 8 years after completion of treatment
- Provisional restoration after implant placement and before denture completion
- Modification of teeth and occlusal rests
- Final impressions
- Framework try-in
- Centric jaw relation
- Tooth try-in
- Seating RPD
- Occlusal considerations
- Adjustment appointment
- Placing implants under a previously functional RPD
- Conclusions about implant-supported and retained RPDs

SUPPLEMENTAL MATERIALS

V2551 Predictable Removable Partial Dentures

1. Furuyama C, Takaba M, Inukai M, Mulligan R, Igarashi Y, Baba K. Oral health-related quality of life in patients treated by implant-supported fixed dentures and removable partial dentures. *Clin Oral Implants Res.* 2011 Aug 2. [Epub ahead of print].
2. Pun DK, Waliszewski MP, Waliszewski KJ, Berzins D. Survey of partial removable dental prosthesis (partial RDP) types in a distinct patient population. *J Prosthet Dent.* 2011 Jul;106(1):48-56.
3. Suenaga H, Yokoyama M, Yamaguchi K, Sasaki K. Bone metabolism of residual ridge beneath the denture base of an RPD observed using NaF-PET/CT. *J Prosthodont Res.* 2011 Jun 8. [Epub ahead of print].
4. Cunha LD, Pellizzer EP, Verri FR, Falcon-Antenucci RM, Goiato MC. Influence of ridge inclination and implant localization on the association of mandibular Kennedy class I removable partial denture. *J Craniofac Surg.* 2011 May;22(3):871-5.
5. Schmitt J, Wichmann M, Eitner S, Hamel J, Holst S. Five-year clinical follow-up of prefabricated precision attachments: a comparison of uni- and bilateral removable dental prostheses. *Quintessence Int.* 2011 May;42(5):413-8.
6. Bortolini S, Natali A, Franchi M, Coggiola A, Consolo U. Implant-retained removable partial dentures: an 8-year retrospective study. *J Prosthodont.* 2011 Apr;20(3):168-72. [Epub 2011 Mar 25].
7. Stilwell C. Revisiting the principles of partial denture design. *Dent Update.* 2010 Dec;37(10):682-4, 686-8, 690.
8. Niarchou AP, Ntala PC, Karamanoli EP, Polyzois GL, Frangou MJ. Partial edentulism and removable partial denture design in a dental school population: a survey in Greece. *Gerodontology.* 2011 Sep; 28(3):177-83. [Epub 2011 Feb 1].
9. Cheng H, Xu M, Zhang H, Wu W, Zheng M, Li X. Cyclic fatigue properties of cobalt-chromium alloy clasps for partial removable dental prostheses. *J Prosthet Dent.* 2010 Dec;104(6):389-96.

POST-TEST

V2551 Predictable Removable Partial Dentures

1. Conventional removable partial dentures have been objectionable because of:
 - a. unsightly clasps.
 - b. inadequate retention.
 - c. inadequate support and a “rocking motion” toward the edentulous areas.
 - d. all of the above.

2. Using the average diameter of implants as a guide for denture support and retention:
 - a. one small-diameter implant equals one conventional-diameter implant.
 - b. two small-diameter implants equal one conventional-diameter implant.
 - c. three small-diameter implants equal one conventional-diameter implant.
 - d. four small-diameter implants equal one conventional-diameter implant.

3. One of the most adequate places for implants used as support and retention for removable partial dentures is:
 - a. the maxillary tuberosity area.
 - b. the triangle of bone just over the mental foramen.
 - c. the triangle of bone distal or mesial to remaining natural teeth.
 - d. none of the above.

4. Usually, the most inadequate conventional removable partial denture is:
 - a. Kennedy Class I.
 - b. Kennedy Class II.
 - c. Kennedy Class III.
 - d. Kennedy Class IV.

5. The most flexible and resilient attachment for connecting implants to the denture is:
 - a. an ERA.
 - b. a Locator.
 - c. a sphere abutment to retain the denture using a rubber washer in a housing in the denture.
 - d. a Hader bar.

6. The cast from which a custom tray is made is fabricated from an alginate impression:
 - a. on the first appointment after the diagnostic appointment.
 - b. during the final impression appointment.
 - c. at the centric jaw relation appointment.
 - d. at the diagnostic appointment.

7. The most stable type of occlusion rim (bite block) for large soft-tissue edentulous areas is made from:
 - a. shellac.
 - b. PMMA.
 - c. VPS lined light-curing tray material.
 - d. wax alone.

POST-TEST (CONT'D)

V2551 Predictable Removable Partial Dentures

- 8. Metal frameworks for removable partial dentures should be:
 - a. relieved from the cast to avoid sore spots.
 - b. thin, flexible, and cast directly to the stone model without relief.
 - c. always made from nickel-chrome metal.
 - d. thick and strong to avoid fracture of the metal.

- 9. Saying any word with "s" in it with the occlusion rims in place helps to locate:
 - a. correct vertical dimension of occlusion.
 - b. freeway space.
 - c. curve of Spee.
 - d. curve of Wilson.

- 10. Custom trays for final impressions should be:
 - a. relieved from the stone model to allow for a thickness of impression material.
 - b. fitted tightly to the remaining natural teeth.
 - c. relieved only from the teeth receiving clasps.
 - d. made to tightly fit the edentulous ridge.

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Email _____

Indicate which type of credit you wish to obtain: AGD State Both

State License No. _____ AGD No. _____

Payment information Visa American Express Mastercard Discover

Card # _____ Expires ____/____ CVV2-Code: _____

For each **CE Video Purchased**, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test.*

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.