

PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen
Career Development Program

V1559

Direct Resin Veneers – A Great Practice Builder!

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:

C.E. Instruction Sheet
Products List
Resin Veneers Patient Handout
Clinician Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen
PRACTICAL CLINICAL COURSES

**PROCEDURE FOR RECEIVING
CE CREDIT FOR VIDEO COURSES**

1. Complete the enclosed Post-Test.* For each **CE Video Purchased**, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
2. Complete the demographic information located at the end of the test.
Type of Credit:
 - a. If the applicant selects “State,” PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects “AGD,” PCC will submit credit information to the Academy of General Dentistry. *The applicant may check their AGD transcript for verification – please allow 30 days.*
 - c. If the applicant selects “Both,” PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses

3707 N Canyon Road

Suite 3D

Provo, UT 84604

Fax: (801) 226-8637

ce-tests@pccdental.com

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

***TO OBTAIN CE CREDIT ONLINE:** Login or create an account on www.pccdental.com and select “My CE Tests” from the left-side menu. Click on the video title to take the test online. **RESULTS ARE IMMEDIATE.** Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. – 3:00 p.m. Mountain Time to add it to your account.

Gordon J. Christensen
PRACTICAL CLINICAL COURSES
Sources of Products Discussed in
V1559 Direct Resin Veneers – A Great Practice Builder!
Presented by: Gordon J. Christensen, DDS, MSD, PhD

- | | | |
|---|---|---|
| <p>1. Bioclear Matrix Bioclear 3402 South 38th Street Tacoma, WA 98409 (855)712-5327 (253)961-4935 www.bioclearmatrix.com</p> | <p>5. CoForm Matrices by Directa AB JS Dental Mfg., Inc. 196 North Salem Road P.O. Box 904 Ridgefield, CT 06877 (800)284-3368 (203)438-8832 www.jsdental.com</p> | <p>9. Enamelize Cosmedent Inc. 401 North Michigan Avenue Suite 2500 Chicago, IL 60611 (800)621-6729 (312)644-9586 www.cosmedent.com</p> |
| <p>2. Burs (1/4 Round & 330) Local Dealer</p> | <p>6. Crown Forms Dentsply Caulk 38 West Clarke Avenue Milford, DE 19963-0359 (800)532-2855 (302)422-4511 www.caulk.com</p> | <p>10. Estelite Σ Quick Tokuyama Dental America 740 Garden View Court Suite 200 Encinitas, CA 92024 (877)378-3548 (760)942-7211 www.tokuyama-us.com</p> |
| <p>3. Burs (7901, 7304, 7406) (Finishing and Trimming) Dentsply Professional 1301 Smile Way P.O. Box 7807 York, PA 17404-1785 (800)989-8825 (717)767-8500 www.prevent.dentsply.com</p> | <p>7. DiaShine VH Technologies Ltd. 2100 196th Street SW Suite 116 Lynnwood, WA 98036 (888)628-8300 (425)361-2990 www.vhtechnologies.com</p> | <p>11. Esthet•X HD Dentsply Caulk 38 West Clarke Avenue Milford, DE 19963-0359 (800)532-2855 (302)422-4511 www.caulk.com</p> |
| <p>4. Clearfil SE Bond Kuraray America Inc. Dental Department 33 Maiden Lane, Ste 600D New York, NY 10038 (800)879-1676 (212)986-2230 www.kuraraydental.com</p> | <p>8. Durafill VS Heraeus Kulzer, LLC 300 Heraeus Way South Bend, IN 46614 (800)431-1785 (574)299-5476 www.heraeus-dental-us.com</p> | <p>12. Filtek Supreme Ultra 3M ESPE Dental Products 3M Center Building 275-2SE-03 St. Paul, MN 55144 (800)634-2249 (651)575-5144 www.3mespe.com</p> |

13. **FlexiDiamond Strips**
Cosmedent Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
14. **FlexiDiscs**
Cosmedent Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
15. **FlexiStrips**
Cosmedent Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
16. **GC Fuji Lining LC**
GC America Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-7063
(708)597-0900
www.gcamerica.com
17. **Gingi-Pak Retraction Cord**
Gingi-Pak
4825 Calle Alto
P.O. Box 240
Camarillo, CA 93011
(800)437-1514
(805)484-1051
www.gingi-pak.com
18. **Gluma Desensitizer**
Heraeus Kulzer, LLC
300 Heraeus Way
South Bend, IN 46614
(800)431-1785
(574)299-5476
www.heraeus-dental-us.com
19. **Gluma Etch**
Heraeus Kulzer, LLC
300 Heraeus Way
South Bend, IN 46614
(800)431-1785
(574)299-5476
www.heraeus-dental-us.com
20. **Gold Microfil Composite Instrument**
Almore International
P.O. Box 25214
Portland, OR 97298-0214
(800)547-1511
(503)643-6633
www.almore.com
21. **Heliomolar**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us.com
22. **Herculite XRV Ultra**
Kerr Corporation
1717 West Collins Avenue
Orange, CA 92867
(800)537-7123
(714)516-7400
www.kerrdental.com
23. **½ Hollenback Carver**
Various Manufacturers
24. **Interproximal Carver**
Various Manufacturers
25. **Micro-Fill Composite Finishing Kit**
E.C. Moore Co., Inc.
13325 Leonard Street
P.O. Box 353
Dearborn, MI 48121
(800)331-3548
(313)581-7878
www.ecmoore.com
26. **Madame Butterfly Articulating Ribbon**
Almore International
P.O. Box 25214
Portland, OR 97298-0214
(800)547-1511
(503)643-6633
www.almore.com
27. **MicroPrime**
Danville Materials
3420 Fostoria Way
Suite A200
San Ramon, CA 94583
(800)827-7940
(925)973-0710
www.danvillematerials.com
28. **Mylar Matrix (9 Micron Thin)**
Ho Dental Company
10040 West Cheyenne Avenue
Suite 170-110
Las Vegas, NV 89129
(866)430-3718
(702)430-9847
www.hodentalcompany.com
29. **Mylar Strips**
3M ESPE Dental Products
3M Center
Building 275-2SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3mespe.com

30. **New Metal Strips**
GC America Inc.
3737 West 127th Street
Alsip, IL 60803
(800)323-7063
(708)597-0900
www.gcamerica.com
31. **Nupro Propphy Paste**
Dentsply International
221 West Philadelphia Street
P.O. Box 872
York, PA 17405-0872
(800)877-0020
(717)845-7511
www.dentsply.com
32. **Optibond XTR**
Kerr Corporation
1717 West Collins Avenue
Orange, CA 92867
(800)537-7123
(714)516-7400
www.kerrdental.com
33. **OptraGate**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us.com
34. **Politip**
Ivoclar Vivadent Inc.
175 Pineview Drive
Amherst, NY 14228
(800)533-6825
(716)691-0010
www.ivoclarvivadent.us.com
35. **Prisma Gloss**
Dentsply Caulk
38 West Clarke Avenue
Milford, DE 19963-0359
(800)532-2855
(302)422-4511
www.caulk.com
36. **Renamel Microfill**
Cosmedent Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
37. **Renamel Microhybrid**
Cosmedent Inc.
401 North Michigan Avenue
Suite 2500
Chicago, IL 60611
(800)621-6729
(312)644-9586
www.cosmedent.com
38. **Roeko Stay-Put Cord**
Coltene/Whaledent
235 Ascot Parkway
Cuyahoga Falls, OH 44223
(800)221-3046
(330)916-8800
www.coltene.com
39. **Scotchbond Universal**
3M ESPE Dental Products
3M Center
Building 275-2SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3mespe.com
40. **Sof-Lex**
3M ESPE Dental Products
3M Center
Building 275-2SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3mespe.com
41. **Taper Diamond**
Various Manufacturers
42. **Ultra Etch**
Ultradent Products Inc.
505 West 10200 South
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
43. **Valo Curing Light**
Ultradent Products Inc.
505 West 10200 South
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com
44. **Venus Diamond**
Heraeus Kulzer, LLC
300 Heraeus Way
South Bend, IN 46614
(800)431-1785
(574)299-5476
www.heraeus-dental-us.com
45. **Venus Pearl**
Heraeus Kulzer, LLC
300 Heraeus Way
South Bend, IN 46614
(800)431-1785
(574)299-5476
www.heraeus-dental-us.com

46. **Vita 3D-Master Shade Guide**

Vident
3150 East Birch Street
Brea, CA 92821
(800)828-3839
(714)961-6200
www.vident.com

47. **Vitrebond Plus**

3M ESPE Dental Products
3M Center
Building 275-2SE-03
St. Paul, MN 55144
(800)634-2249
(651)575-5144
www.3mespe.com

48. **Ultrapak**

Ultradent Products Inc.
505 West 10200 South
South Jordan, UT 84095
(888)230-1420
(801)572-4200
www.ultradent.com

49. **Zekrya Gingival Protector**

DMG America
242 South Dean Street
Englewood, NJ 07631
(800)662-6383
(201)894-5505
www.dmg-america.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

Veneers, Resin (Post-Treatment Patient Instructions)

Date: _____

Tooth Numbers: _____

Resin Brand: _____

Color: _____

We have placed resin (plastic) veneers on your teeth. These restorations were fabricated using the finest materials and techniques available today, and you should receive several years of excellent service from them. Please be aware of the following information about your restorations:

Chewing: Avoid chewing excessively hard foods such as hard candy, corn nuts, ice, bones, etc., because the resin material can be broken from the tooth under extreme force. In the event a breakage occurs, replacement of the veneer is not difficult.

Recall Visits: Professional examinations every six months are suggested. Any developing problems can be observed at an early stage and can be repaired easily, while waiting for a longer time may require redoing the veneer. We will contact you when it is time for your recall appointment.

Preventive Procedures: To provide optimum longevity of your restorations and to prevent future dental decay and supporting tissue breakdown, please use the following preventive procedures that are checked below:

- _____ a. Brush with a fluoride-containing toothpaste, and floss your teeth at least once a day, preferably before going to bed.
- _____ b. Swish vigorously for 30 seconds daily with a fluoride-containing mouth rinse available over-the-counter without a prescription. The best time is immediately before bedtime.
- _____ c. Use a Water Pik as directed
- _____ d. Use a 1.1% neutral sodium fluoride as a brush-on material. These products require a prescription from us.
- _____ e. Use a mechanical toothbrush.

The Future: You will receive several years of service from your veneers. However, after observing veneers serve patients for many years, we have seen the following conditions occur occasionally.

- a. Depending on the foods you eat and other factors, a slight change in the color of the veneers may occur over a period of years. If the color change is objectionable to you, the veneers should be replaced.
- b. Depending on what you eat or drink, the veneers may develop slight stains around the edges. Please tell us if this occurs. Repairs can usually be accomplished early, prolonging the service of the veneers.
- c. The gums (gingiva) may recede from the veneers, displaying discolored tooth structure underneath. This condition may require veneer replacement or other modifications.

PROGRAM

V1559 Direct Resin Veneers – A Great Practice Builder!

CLINICIAN RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD
Founder and CEO, Practical Clinical Courses
Senior Consultant & Previous CEO, CR Foundation
Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, participants should be able to accomplish the following:

1. List the types of materials used for indirect tooth veneers.
2. Discuss the clinical success of veneers.
3. Compare full crowns with veneers.
4. Compare the cost of indirect veneers with direct resin-based composite veneers.
5. List the indications for veneers.
6. Describe how to determine restorative material color for resin veneers.
7. Describe three levels of veneer tooth preparation.
8. Describe three types of cords for soft-tissue management.
9. List three types of matrices for direct resin veneers.
10. Discuss three methods for bonding direct resin veneers.
11. Describe the method for placement of resin on the tooth for a veneer.
12. Describe finishing the cervical portion of the resin veneer.
13. Describe finishing the interproximal and facial areas of the resin veneer.
14. Describe finishing the incisal and occlusal portions of the resin veneer.
15. List three important points on which to instruct patients about direct resin veneers.
16. Discuss the potential longevity of direct resin veneers.
17. Describe the challenges that occur as veneers begin to fail.
18. Describe how to remove stains from the margins of resin veneers.
19. Discuss if a broken resin veneer can be repaired.
20. Compare direct resin veneers with ceramic veneers.

OVERVIEW

V1559 Direct Resin Veneers – A Great Practice Builder!

This presentation discusses and demonstrates the direct resin veneer technique. The following and other topics are included in the video:

- Patient desire for veneers
- Materials used for veneers, direct and indirect
- The clinical success potential for veneers
- Veneers vs. full crowns
- The cost of veneers, direct and indirect
- One appointment vs. two appointments
- Indications for veneers
- Determining tooth and restorative material color
- Trying various colors on teeth
- Tooth preparations for veneers
- Soft-tissue management
- Matrices
- Bonding restorative material to tooth structure
- Placing restorative material on teeth
- Finishing direct resin veneers
- Finishing the cervical areas
- Finishing the interproximal and facial areas
- Finishing the incisal and occlusal areas
- Overall occlusal adjustment after placing the veneers
- Polishing direct resin veneers
- Providing patient instructions about veneers
- Longevity expectations for direct resin veneers
- Repair and maintenance of direct resin veneers
- Conclusions about direct resin veneers

SUPPLEMENTAL MATERIALS

V1559 Direct Resin Veneers – A Great Practice Builder!

1. Gresnigt MM, Kalk W, Ozcan M. Randomized controlled split-mouth clinical trial of direct laminate veneers with two micro-hybrid resin composites. *J Dent*. 2012 Sep;40(9):766-75. Epub 2012 Jun 2.
2. Pontons-Melo JC, Furuse AY, Mondelli J. A direct composite resin stratification technique for restoration of the smile. *Quintessence Int*. 2011 Mar;42(3):205-11.
3. Zorba YO, Bayindir YZ, Barutcugil C. Direct laminate veneers with resin composites: two case reports with five-year follow-ups. *J Contemp Dent Pract*. 2010 Jul 1;11(4):E056-62.
4. Reis A, Higashi C, Loguercio AD. Re-anatomization of anterior eroded teeth by stratification with direct composite resin. *J Esthet Restor Dent*. 2009;21(5):304-16.
5. Koczarski M. Smile makeover utilizing direct composite resin veneers. *Dent Today*. 2008 Dec;27(12):76, 78-9.
6. Mangani F, Cerutti A, Putignano A, Bollero R, Madini L. Clinical approach to anterior adhesive restorations using resin composite veneers. *Eur J Esthet Dent*. 2007 Summer;2(2):188-209.
7. Fahl N Jr. A polychromatic composite layering approach for solving a complex Class IV/direct veneer/diastema combination: Part II. *Pract Proced Aesthet Dent*. 2007 Jan-Feb;19(1):17-22.
8. Gresnigt MM, Ozcan M. Fracture strength of direct versus indirect laminates with and without fiber application at the cementation interface. *Dent Mater*. 2007 Aug;23(8):927-33. Epub 2006 Oct 6.
9. Horvath S, Schulz CP. Minimally invasive restoration of a maxillary central incisor with a partial veneer. *Eur J Esthet Dent*. 2012 Spring;7(1):6-16.
10. Brignall I, Mehta SB, Banerji S, Millar BJ. Aesthetic composite veneers for an adult patient with amelogenesis imperfecta: a case report. *Dent Update*. 2011 Nov;38(9):594-6, 598-600, 603.
11. Anchieta RB, Rocha EP, Watanabe MU, de Almeida EO, Freitas-Junior AC, Martini AP, Barioni SR. Recovering the function and esthetics of fractured teeth using several restorative cosmetic approaches. Three clinical cases. *Dent Traumatol*. 2012 Apr;28(2):166-72. doi: 10.1111/j.1600-9657.2011.01048.x. Epub 2011 Aug 19.
12. Batalocco G, Lee H, Ercoli C, Feng C, Malmstrom H. Fracture resistance of composite resin restorations and porcelain veneers in relation to residual tooth structure in fractured incisors. *Dent Traumatol*. 2012 Feb;28(1):75-80. doi: 10.1111/j.1600-9657.2011.01037.x. Epub 2011 Jul 14.

POST-TEST

V1559 Direct Resin Veneers – A Great Practice Builder!

1. Microfill resins have _____ as filler particles.
 - a. aluminosilicate glass
 - b. barium salt
 - c. silicon dioxide
 - d. zirconium oxide
2. Indirect ceramic veneers are not made from:
 - a. lithium disilicate.
 - b. zirconia.
 - c. leucite-reinforced glass.
 - d. aluminosilicate glass.
3. Direct resin veneers:
 - a. are always less esthetic than crowns.
 - b. have shorter longevity expectations than crowns.
 - c. usually have postoperative sensitivity after cementation.
 - d. usually cost less than crowns.
4. Usually veneers are not indicated for:
 - a. grossly carious teeth.
 - b. dark tetracycline stained teeth.
 - c. teeth with little enamel remaining.
 - d. all of the above.
5. Determining the exact color for direct resin veneers is usually done by:
 - a. using the Vita Master shade guide.
 - b. judging the color by eye.
 - c. trying the resin on the tooth and curing it.
 - d. none of the above.
6. It was suggested that placement of cords for tissue management when preparing teeth for direct resin veneers:
 - a. is not necessary.
 - b. is occasionally needed.
 - c. is necessary.
 - d. is replaced by using laser or electrosurgery.
7. Tooth preparations for veneers:
 - a. are usually the same depth for all teeth being veneered.
 - b. may vary in depth depending on the positioning of the teeth in the arch form.
 - c. are done with carbide burs.
 - d. are always in enamel only.

POST-TEST (CONT'D)

V1559 Direct Resin Veneers – A Great Practice Builder!

8. Placement of resin for direct resin veneers:
 - a. is done using several typical resin capsules for one veneer.
 - b. is best done with a bulk piece of resin.
 - c. is usually best with flowable resin.
 - d. is always done using a celluloid crown form.

9. Finishing direct resin veneers:
 - a. should start on facial tooth surfaces.
 - b. should start on cervical tooth surfaces.
 - c. should start on incisal tooth surfaces.
 - d. should start on occluding surfaces.

10. Occasional failure of direct resin veneers is observed as:
 - a. stains on the margins.
 - b. fracture of the entire resin piece from the tooth.
 - c. bodily discoloration of the resin.
 - d. none of the above.

PLEASE PRINT

Name _____

Name of video purchaser (if different from above) _____

Address _____

City/State/Zip _____

Phone No. _____

Email _____

Indicate which type of credit you wish to obtain: ☐ AGD ☐ State ☐ Both

State License No. _____ AGD No. _____

Payment information ☐ Visa ☐ American Express ☐ Mastercard ☐ Discover

Card # ____ - ____ - ____ - ____ Expires ____ / ____ CVV2-Code: _____

For each **CE Video Purchased**, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test.*

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.