PRACTICAL CLINICAL COURSES

A Service of the Gordon J. Christensen Career Development Program

V1927 Alginate Impressions – Predictable & Accurate

Gordon J. Christensen, DDS, MSD, PhD

Materials Included:

C.E. Instruction Sheet
Products List
Clinician Responsible
Goals & Objectives
Overview
Supplemental Materials
AGD Post-Test

Gordon J. Christensen PRACTICAL CLINICAL COURSES

PROCEDURE FOR RECEIVING CE CREDIT FOR VIDEO COURSES

- 1. Complete the enclosed Post-Test.* For each <u>CE Video Purchased</u>, one complimentary test is included. Additional tests are \$35/person per test. Fees can be paid by check or with a credit card when submitting tests to Practical Clinical Courses. If more than 10 CE tests are required per video, please contact us at 800-223-6569.
- 2. Complete the demographic information located at the end of the test. **Type of Credit:**
 - a. If the applicant selects "State," PCC will issue a certificate of verification to the applicant. The applicant must then submit this certificate to their state board to obtain credit.
 - b. If the applicant selects "AGD," PCC will submit credit information to the Academy of General Dentistry. The applicant may check their AGD transcript for verification please allow 30 days.
 - c. If the applicant selects "Both," PCC will complete a. & b. above.
- 3. Return the Post-Test portion via mail, fax, or email. Our contact information is as follows:

Practical Clinical Courses 3707 N Canyon Road Suite 3D Provo, UT 84604 Fax: (801) 226-8637

cetests@pccdental.com

- 4. Practical Clinical Courses will correct the Post-Test. Passing scores are 70% or higher.
 - *TO OBTAIN CE CREDIT ONLINE: Login or create an account on www.pccdental.com and select "My CE Tests" from the left-side menu. Click on the video title to take the test online. RESULTS ARE IMMEDIATE. Missing the test? Contact us at 800-223-6569 during our business hours of 7:00 a.m. 3:00 p.m. Mountain Time to add it to your account.

Gordon J. Christensen

PRACTICAL CLINICAL COURSES

Sources of Products Discussed in

V1927 Alginate Impressions – Predictable & Accurate

Presented by: Gordon J. Christensen, DDS, MSD, PhD

1. AccuDent Trays

Ivoclar Vivadent 175 Pineview Drive Amherst, NY 14228 (800)533-6825 (716)691-0010 www.ivoclar.com

2. Alfa Triple Tray

Premier Dental Co. 1710 Romano Drive Plymouth Meeting, PA 19462 (888)670-6100 (610)239-6000 www.premierdentalco.com

3. AL-Free Oral Rinse

Henry Schein Dental 135 Duryea Road Melville, NY 11747 (800)372-4346 (631)843-5500 www.henryschein.com

4. Alginate Auto Mixer

Various Distributors

5. Alginate Spatula

Dental Distributors

6. Alginator

Kerr Corporation 200 S. Kraemer Blvd. Building E2 Brea, CA 92821 (800)537-7123 www.kerrdental.com

7. AlgiNot

Kerr Corporation 200 S. Kraemer Blvd. Building E2 Brea, CA 92821 (800)537-7123 www.kerrdental.com

8. **COE ALGINATE**

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

9. **COE TRAY CLEANER**

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

10. Crest Pro-Health

Local Retailers

11. Disposable Impression Trays

Local Distributors

12. Disposa-Bowl Flexible Mixing Bowl

Henry Schein Dental 135 Duryea Road Melville, NY 11747 (800)372-4346 (631)843-5500 www.henryschein.com

13. Hold Tray Adhesive

Water Pik, Inc. 1730 East Prospect Road Fort Collins, CO 80553 (800)525-2020 www.waterpik.com

14. Impression Trays

GC America Inc. 3737 West 127th Street Alsip, IL 60803 (800)323-7063 (708)597-0900 www.gcamerica.com

15. Jeltrate Plus

Dentsply Sirona 13320-B Ballantyne Corporate Pl Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

16. Position Penta Quick by 3M

(See AlgiNot)

17. Preppies

Whip Mix Corporation 361 Farmington Avenue Louisville, KY 40217 (800)626-5651 (502)637-1451 www.whipmix.com

18. ResinRock

Whip Mix Corporation 361 Farmington Avenue Louisville, KY 40217 (800)626-5651 (502)637-1451 www.whipmix.com

19. Rim-Lock Impression Trays

Dentsply Sirona 13320-B Ballantyne Corporate Pl Charlotte, NC 28277 (800)877-0020 www.dentsplysirona.com

20. Silgimix

Sultan Healthcare 1301 Smile Way York, PA 17404 (800)637-8582 (201)871-1232 www.sultanhealthcare.com

21. StatusBlue

DMG America 65 Challenger Road Suite 340 Ridgefield Park, NJ 07660 (800)662-6383 (201)894-5505 www.dmg-america.com

22. Surfactant DeBubblizer

Almore International 441 19th Street S.E. Hickory, NC 28602 (800)547-1511 www.almore.com

23. TriPhasix Alginate

Parkell, Inc. 300 Executive Drive Edgewood, NY 11717 (800)243-7446 (631)249-1134 www.parkell.com

24. TurboMAX by Raintree Essix

(See: Alginate Auto Mixer)

25. Utility Wax Round Strips

Coltene Inc.
235 Ascot Parkway
Cuyahoga Falls, OH 44223
(330)916-8800
www.coltene.com

26. Vacuum Mixer (Mechanical Alginate Mixer

Whip Mix Corporation 361 Farmington Avenue Louisville, KY 40217 (800)626-5651 (502)637-1451 www.whipmix.com

Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.

Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604 Toll Free (800) 223-6569 or Utah Residents (801) 226-6569

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

PROGRAM

V1927 Alginate Impressions – Predictable & Accurate

CLINICIAN RESPONSIBLE:

Gordon J. Christensen, DDS, MSD, PhD

Founder and CEO, Practical Clinical Courses Senior Consultant & Previous CEO, CR Foundation Practicing Prosthodontist, Provo, Utah

GOALS & OBJECTIVES

At the completion of this video presentation, participants should be able to accomplish the following:

- 1. State the importance of alginate impressions in a typical practice.
- 2. List the major uses for alginate impressions.
- 3. List and discuss the most significant errors associated with alginate impressions.
- 4. Discuss differences among alginate impression materials.
- 5. Describe the characteristics of alginate alternatives.
- 6. Compare the cost of an alginate impression with the typical alginate alternative materials.
- 7. List and compare the various impression trays for alginate.
- 8. Describe fitting the impression tray into the mouth.
- 9. Describe the necessary characteristics of mixing alginate by hand.
- 10. Describe two mechanical alginate mixers.
- 11. Compare hand mixing with mechanical alginate mixing.
- 12. Discuss the psychology of making an alginate impression.
- 13. Discuss making alginate mandibular impressions.
- 14. Discuss making alginate maxillary impressions.
- 15. List, describe, and discuss the suggested technique for making alginate impressions.
- 16. Describe the eventual result of not washing out the alginate impression after taking it out of the mouth.
- 17. Describe how wet or dry the impression should be when storing it before pouring.
- 18. Discuss the challenges related to disinfecting alginate impressions.
- 19. Describe how to store alginate impressions before pouring.
- 20. List the characteristics of an ideal alginate impression.

OVERVIEW

V1927 Alginate Impressions – Predictable & Accurate

Alginate impressions are among the most commonly accomplished techniques in the dental profession. They are usually accomplished by dental assistants or dental hygienists, and occasionally by dentists. Many staff members making alginate impressions initially are relatively unfamiliar with the material or the correct procedure to make an impression, and the result can be an inadequate impression.

Alginate impressions influence all aspects of dentistry, with the major use being in all areas of prosthodontics, operative dentistry, orthodontics, and pediatric dentistry. Inadequate alginate impressions can cause misfitting tooth restorations or prostheses, improper forces in orthodontics, inadequate fit of occlusal splints, improper diagnosis and treatment planning, and many other undesirable situations. Making adequate alginate impressions is not difficult, but numerous careful steps and precautions need to be made to ensure that a good alginate impression is made.

Numerous replacement materials are available for alginate impressions, and they provide the following advantages:

- No Dust
- Fast Set
- Less Clean-Up than Alginate
- Can Be Repoured
- No Time Constraints on Pouring
- Can Be Disinfected without Distortion

However, most dentists continue to use alginate. Perhaps one of the reasons is cost. The following algebraic comparison shows the relative cost of alginate and the replacement products:

- The cost of a typical full-arch alginate impression is very inexpensive. We will give it a value of X or about one US dollar.
- When determining the cost of 5 current brands of alginate replacements, the costs were 2.52X, 3.24X, 4.14X, and 4.51X.
- Are the alginate replacement advantages worth the extra cost?
- The conclusion is that most dentists have preferred to use alginate.

The following characteristics exemplify an ideal alginate impression:

- There are no bubbles.
- Mucobuccal fold is recorded accurately.
- Muscle attachments are recorded accurately.
- The impression is smooth.
- The impression material is not separated from the tray.
- There is no debris incorporated into the material.
- There are no folds in the material.

OVERVIEW (CONT'D)

V1927 Alginate Impressions – Predictable & Accurate

The following steps are necessary to make the ideal alginate impression:

- Select the proper tray.
- Rinse the mouth carefully before making the impression.
- Clean the debris off teeth.
- Use a mechanical mixer such as Cadco, Dentsply, or Whip Mix.
- Make the mandibular impression first.
- Blow the saliva and debris off teeth.
- Rub the alginate on the occlusal surfaces of the teeth.
- Seat the impression properly.
- Border mold the impression.
- Leave the impression in the mouth 2 minutes after the initial gel.
- Fill the lower lingual space with excess alginate from the maxillary impression.
- Rinse the impression thoroughly.
- Dry the impression until the shine is gone.
- Store the impression in a sealed plastic bag with a few drops of water.
- Pour the impression as soon as possible.

This program demonstrates all of the previously described characteristics in close-up live activity.

SUPPLEMENTAL MATERIALS

- 1. A clinical and laboratory comparison of alginate impression techniques. Washington DC: Army Inst of Dental Research; September 1981. Accession Number: ADA105443
- 2. Hirobumi U, Hiraguchi H, Hisami N, Naoki T, Hiroyoshi H. A study on retention of impression trays. Retention of perforated metal trays to alginate impression materials as a function of combination of diameters and intervals. Japanese Journal of Conservative Dentistry 2001; 44 (1): 48-55.
- 3. Kim JH, Chung MK. Comparison of the accuracy of stone casts made from alginate impression material by mixing methods and application of tray adhesive. J Korean Acad Prosthodont. 2001 Oct; 39 (5): 492-501.
- 4. Ryu HS, LIM HS, Lim JH, Cho IH. A study on the void formation and detail reproduction according to the various impression materials and mixing methods. J Korean Acad Prosthodont 2002 Apr; 40 (2): 140-155.
- 5. Khaknegar B, Ettinger RL. Removal time: a factor in the accuracy of irreversible hydrocolloid impressions. Journal of Oral Rehabilitation 1977; 4(4):369-376.
- 6. Cohen BI, Pagnillo M, Deutsch AS, Musikant BL. Dimensional Accuracy of Three Different Alginate Impression Materials. Journal of Prosthodontics 1995; 4(3): 195-199.

POST-TEST

V1927 Alginate Impressions – Predictable & Accurate

- 1. Alginate impression materials can have:
 - a. color changing properties as the material sets.
 - b. fast or regular set.
 - c. hand or mechanical mixing.
 - d. color and taste added.
 - e. all of the above.
- 2. Positive bubbles on the surface of a stone cast were probably caused by:
 - a. improper pouring of the impression.
 - b. the alginate mix being too thin.
 - c. not rubbing alginate impression material on the occlusal surfaces of the teeth.
 - d. the alginate mix being too thick.
- 3. Negative bubbles (holes) in the stone cast were probably caused by:
 - a. the alginate mix being too thin.
 - b. not rubbing alginate impression material on the occlusal surfaces of the teeth.
 - c. the alginate mix being too thick.
 - d. improper pouring of the impression.
- 4. Alternative materials for alginate are usually:
 - a. polyether.
 - b. vinyl polysiloxane.
 - c. reversible hydrocolloid.
 - d. none of the above.
- 5. Mixing alginate mechanically can produce an impression mix that:
 - a. sets slower.
 - b. has less surface detail.
 - c. is extremely smooth.
 - d. is less expensive than hand mixing.
- 6. When making alginate impressions, the following is true:
 - a. the maxillary impression should be made before the mandibular impression.
 - b. the powder should be placed in the mixing bowl before the water.
 - c. the mandibular impression should be made before the maxillary impression.
 - d. the impression should be placed in the back of the mouth first.
- 7. Alginate impressions should be made:
 - a. with the patient in a supine position.
 - b. with cold water.
 - c. before cleaning the teeth.
 - d. with the patient in a sitting position.
 - e. with warm water.

POST-TEST (CONT'D)

V1927 Alginate Impressions – Predictable & Accurate

- 8. Washing the impression after taking it from the mouth:
 - a. removes all of the microorganisms.
 - b. removes the majority of the debris.
 - c. does not remove the mucous from the impression.
 - d. is not always necessary.
- 9. Before storing the impression, it should be:
 - a. dried thoroughly.
 - b. allowed to remain in a paper towel moistened with water.
 - c. placed in a very moist environment.
 - d. placed in a sealable plastic bag with a few drops of water.
- 10. When mixed with water, alginate impression materials have:
 - a. very good long-term stability.
 - b. poor long-term stability.
 - c. usefulness in only a few areas of dentistry.
 - d. the ability to be toxic, if swallowed.

PLEASE PRINT

Name	
Address	
City/State/Zip	
Phone No.	
Email	
Indicate which type of credit you wish to obtain: □ AGD □ State □ Both	
State License No	AGD No
Payment information Visa American Express Mastercard Discover	
Card #	Expires / CVV2-Code:

For each <u>CE Video Purchased</u>, one complimentary test is included. If you require CE tests for *staff members or additional doctors to receive credit, the fee is \$35/person per test*.

If more than 10 CE tests are required per video, please contact PCC at 800-223-6569.