

# **PRACTICAL CLINICAL COURSES**

A Service of the Gordon J. Christensen  
Career Development Program

## **V4116**

### **Oral Surgery in General Practice**

Karl R. Koerner, DDS, MS  
Gordon J. Christensen, DDS, MSD, PhD

#### **Materials Included**

C.E. Instruction Sheet  
Products List  
Clinicians Responsible  
Goals & Objectives  
Overview  
References  
AGD Post Test

**Gordon J. Christensen**  
**PRACTICAL CLINICAL COURSES**

**PROCEDURE FOR RECEIVING**  
**ACADEMY OF GENERAL DENTISTRY**  
**AND STATE CREDIT**  
**FOR CE VIDEOS**

1. Complete the enclosed Post-Test. For each **CE Video Purchased**, one test is included. If additional tests are needed, the following fees will apply: \$25 per test per dentist (limit 1 additional dentist per video purchased); \$10 per test per auxiliary (dental assistants, hygienists, lab technicians - no limit on auxiliary tests). Fees can be paid either by check or credit card when tests are submitted to Practical Clinical Courses.
2. Complete the demographic information located at the end of the test.  
**Type of Credit:**
  - a. If the applicant selects "AGD," PCC will send notification to both the applicant and the Academy of General Dentistry. (The AGD will also notify applicant of credits earned by printout information.)
  - b. If the applicant selects "State," PCC will send a certificate of verification to the applicant. The applicant must then submit this certificate to his/her state board to obtain credit.
  - c. If the applicant selects "Both," PCC will complete a. & b. above.
3. Return the **Post-Test portion** via mail, fax, or email. Our contact information is as follows:

**Practical Clinical Courses**  
**3707 N Canyon Road**  
**Suite 3D**  
**Provo, UT 84604**  
**Fax: (801) 226-8637**  
[info@pccdental.com](mailto:info@pccdental.com)

4. Practical Clinical Courses will correct the Post-Test. **Passing scores are 70% or higher.**

Gordon J. Christensen  
**PRACTICAL CLINICAL COURSES**

*Sources of Products Discussed in*

**V4116 Oral Surgery in General Practice**

Presented by: Karl R. Koerner, DDS, MS and Gordon J. Christensen, DDS, MSD, PhD

ADSON-BROWN PICKUPS (43)  
BIRDBEAK FORCEPS 1174 (Ash-Type)  
CHILD'S BITE BLOCK  
COGSWELL B  
COTTON PLIER  
COWHORN FORCEPS #23  
MIRROR  
LUXATORS [3S 3C, 5S 5C][3&5mm Straight][3&5mm Curved]  
MANDIBULAR APICAL RETENTION FORCEP [151 (HF) or 1121 (KS)]  
MAXILLARY APICAL RETENTION FORCEP [150 (HF) or 1107 (KS)]  
MAYO-HEGAR NEEDLE HOLDER  
PERIOSTEAL ELEVATOR (Molt #9)  
RETRACTOR (Seldin 23)  
ROOT TIP PICKS [West 2, 3 or Heidbrink 13, 14 DE]  
SCALPEL HANDLE/BLADE  
SCISSORS (Curved Kelly #1)  
SPOON CURETTE (Lucas 86)  
STRAIGHT ELEVATOR (301)  
SUTURE MATERIAL (Chromic Gut 4.0 with C6 or FS-2 Needle)  
SYRINGE/ANESTHETIC

Hu-Friedy Mfg. Co., Inc.  
3232 North Rockwell Street  
Chicago, IL 60618-5935  
(800)483-7433  
(773)975-6100  
[www.hu-friedy.com](http://www.hu-friedy.com)

*OR*

Karl Schumacher Dental Instrument Company, Inc.  
108 Lakeside Drive  
Southampton, PA 18966  
(800)523-2427  
(215)322-0511  
[www.karlschumacher.com](http://www.karlschumacher.com)

***Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.***

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604  
Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

Gordon J. Christensen  
**PRACTICAL CLINICAL COURSES**

*Sources of Products Discussed in*

**V4116 Oral Surgery in General Practice (Continued)**

Presented by: Karl R. Koerner, DDS, MS and Gordon J. Christensen, DDS, MSD, PhD

1. **ACTCEL**  
Patterson Dental Supply Inc.  
1031 Mendota Heights Road  
St. Paul, MN 55120  
(800)328-5536  
(615)686-1600  
[www.pattersondental.com](http://www.pattersondental.com)  
  
Sullivan-Schein Dental  
10920 West Lincoln Avenue  
West Allis, WI 53227  
(800)372-4346  
(414)321-8881  
[www.sullivanscheindental.com](http://www.sullivanscheindental.com)
2. **BONE BURS (H73E.11.040 Straight)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
3. **BONE BURS (H251E.11.040 Straight)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
4. **BONE BURS (H251.11.060 Straight)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
5. **BONE BURS (#8 Round FG, SL)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
6. **BONE FILE (2X)**  
Hu-Friedy Mfg. Co., Inc.  
3232 North Rockwell Street  
Chicago, IL 60618-5935  
(800)483-7433  
(773)975-6100  
[www.hu-friedy.com](http://www.hu-friedy.com)
7. **BONE WAX (ETHICON)**  
Sullivan-Schein Dental  
10920 West Lincoln Avenue  
West Allis, WI 53227  
(800)372-4346  
(414)321-8881  
[www.sullivanscheindental.com](http://www.sullivanscheindental.com)
8. **BURS (702 FG SL) & (1702 FG SL End Cutting)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
9. **BURS (703 FG SL), (560 FG SL), & (700 XXL)**  
Brasseler USA  
One Brasseler Blvd.  
Savannah, GA 31419-9598  
(800)841-4522  
(912)925-8525  
[www.brasselerusa.com](http://www.brasselerusa.com)
10. **GELFOAM**  
Patterson Dental Supply Inc.  
1031 Mendota Heights Road  
St. Paul, MN 55120  
(800)328-5536  
(615)686-1600  
[www.pattersondental.com](http://www.pattersondental.com)  
  
Sullivan-Schein Dental  
10920 West Lincoln Avenue  
West Allis, WI 53227  
(800)372-4346  
(414)321-8881  
[www.sullivanscheindental.com](http://www.sullivanscheindental.com)
11. **HANDPIECES 45° AND 33°**  
Medidenta International, Inc.  
39-23 62<sup>nd</sup> Street  
P.O. Box 409  
Woodside, NY 11377  
(800)221-0750  
(718)672-4670  
[www.medidenta.com](http://www.medidenta.com)
12. **HANDPIECES IMPACT-AIR 45**  
Palisades Dental  
111 Cedar Lane  
Englewood, NJ 07631  
(800)664-8000  
(201)569-0050  
[www.palisadesdentalllc.com](http://www.palisadesdentalllc.com)
13. **HANDPIECES SABRA 105 & OMS 45° II FIBER OPTIC**  
Sabra Dental Products  
289 Suburban Avenue  
Suite E  
Deer Park, NY 11729  
(800)888-4435  
(631)543-6575  
[www.sabradent.com](http://www.sabradent.com)

14. **HANDPIECES STRAIGHT (Electric)**  
 Bien-Air USA, Inc.  
 17880 Skypark Circle  
 Suite 140  
 Irvine, CA 92614  
 (800)433-2436  
 (949)477-6050  
[www.bienair.com](http://www.bienair.com)
15. **HEMOSTYP**  
 Medspring Group Inc.  
 533 West 2600 South  
 Suite 105  
 Bountiful, UT 84010  
 (801)295-9750  
[www.medspring.com](http://www.medspring.com)
16. **IRRIGATION SYRINGE**  
 Patterson Dental Supply Inc.  
 1031 Mendota Heights Road  
 St. Paul, MN 55120  
 (800)328-5536  
 (615)686-1600  
[www.pattersondental.com](http://www.pattersondental.com)
17. **LARGE CRYERS (30, 31)**  
 Hu-Friedy Mfg. Co., Inc.  
 3232 North Rockwell Street  
 Chicago, IL 60618-5935  
 (800)483-7433  
 (773)975-6100  
[www.hu-friedy.com](http://www.hu-friedy.com)
18. **LINDOLEVIN ELEVATOR**  
 Zoll-Dental  
 7450 North Natchez Avenue  
 Niles, IL 60714  
 (800)239-2904  
 (847)647-1819  
[www.zolldental.com](http://www.zolldental.com)
19. **LUXATORS**  
 JS Dental Manufacturing, Inc.  
 196 North Salem Road  
 P.O. Box 904  
 Ridgefield, CT 06877  
 (800)284-3368  
 (203)438-8832  
[www.jsdental.com](http://www.jsdental.com)
20. **MODIFIED COWHORN FORCEPS (79AS)**  
 Karl Schumacher Dental Instrument Company, Inc.  
 108 Lakeside Drive  
 Southampton, PA 18966  
 (800)523-2427  
 (215)322-0511  
[www.karlschumacher.com](http://www.karlschumacher.com)
21. **RONGEURS (Standard 30° Blumenthal)**  
 Hu-Friedy Mfg. Co., Inc.  
 3232 North Rockwell Street  
 Chicago, IL 60618-5935  
 (800)483-7433  
 (773)975-6100  
[www.hu-friedy.com](http://www.hu-friedy.com)
22. **ROOT TIP FORCEPS (Mini Rongeurs & 301 Serrated)**  
 Hu-Friedy Mfg. Co., Inc.  
 3232 North Rockwell Street  
 Chicago, IL 60618-5935  
 (800)483-7433  
 (773)975-6100  
[www.hu-friedy.com](http://www.hu-friedy.com)
23. **ROOT TIP FORCEPS (PEET'S & 1251E)**  
 Karl Schumacher Dental Instrument Company, Inc.  
 108 Lakeside Drive  
 Southampton, PA 18966  
 (800)523-2427  
 (215)322-0511  
[www.karlschumacher.com](http://www.karlschumacher.com)
24. **SMALL CRYERS (21, 22)**  
 Karl Schumacher Dental Instrument Company, Inc.  
 108 Lakeside Drive  
 Southampton, PA 18966  
 (800)523-2427  
 (215)322-0511  
[www.karlschumacher.com](http://www.karlschumacher.com)
25. **SMALL, PLASTIC SUCTION TIPS (1/16" Diameter)**  
 Sullivan-Schein Dental  
 10920 West Lincoln Avenue  
 West Allis, WI 53227  
 (800)372-4346  
 (414)321-8881  
[www.sullivanscheindental.com](http://www.sullivanscheindental.com)
26. **SPEAR-POINT ELEVATORS (60 Straight, 63 Curved) (60L and 60R)**  
 Karl Schumacher Dental Instrument Company, Inc.  
 108 Lakeside Drive  
 Southampton, PA 18966  
 (800)523-2427  
 (215)322-0511  
[www.karlschumacher.com](http://www.karlschumacher.com)
27. **SURGICAL SUCTION TIPS (Regular 15P3A)(Small 02BA)**  
 Quality Aspirators  
 P.O. Box 382120  
 Duncanville, TX 75138-2120  
 (800)858-2121  
 (972)298-2669  
[www.qualityaspirators.com](http://www.qualityaspirators.com)
28. **SURGICEL**  
 Patterson Dental Supply Inc.  
 1031 Mendota Heights Road  
 St. Paul, MN 55120  
 (800)328-5536  
 (615)686-1600  
[www.pattersondental.com](http://www.pattersondental.com)  
  
 Sullivan-Schein Dental  
 10920 West Lincoln Avenue  
 West Allis, WI 53227  
 (800)372-4346  
 (414)321-8881  
[www.sullivanscheindental.com](http://www.sullivanscheindental.com)

*Product names, the products themselves, and company names change rapidly. Please contact the companies shown to confirm current information.*

**Gordon J. Christensen Practical Clinical Courses, 3707 North Canyon Road, Suite 3D, Provo, UT 84604  
 Toll Free (800) 223-6569 or Utah Residents (801) 226-6569**

The techniques and procedures on this videotape are intended to be suggestions only. Any licensed practitioner viewing this presentation must make his or her own professional decisions about specific treatment for patients. PCC is not responsible for any damages or other liabilities (including attorney's fees) resulting, or claimed to result in whole or in part, from actual or alleged problems arising out of the use of this presentation.

## PROGRAM

### V4116 ORAL SURGERY IN GENERAL PRACTICE

#### CLINICIANS RESPONSIBLE:

**Karl R. Koerner, DDS, MS**  
General Practitioner, Logan, Utah

**Gordon J. Christensen, DDS, MSD, PhD**  
CEO, Practical Clinical Courses  
CEO, CR Foundation  
Practicing Prosthodontist, Provo, Utah

#### GOALS & OBJECTIVES

At the completion of this video presentation, participants should be able to accomplish the following:

1. Describe several concepts in oral surgical procedures that must be done in a specific way.
2. Describe several concepts in oral surgical procedures that are a matter of personal preference.
3. Describe methods to obtain adequate visibility when accomplishing oral surgical procedures.
4. Compare the use and physical characteristics of "Luxators" and elevators.
5. Describe the importance of inter-radicular bone related to difficulty or simplicity of removing teeth.
6. Discuss why sectioning of maxillary first and second molars before removing them may be necessary.
7. Draw the described locations in which sectional cuts are made in maxillary first and second molars before their removal.
8. Discuss when it is necessary to remove bone on the facial aspect of maxillary third molars during their removal.
9. List the suggested instruments in a basic set-up for routine removal of teeth.
10. Discuss the reasons for use of a "bite block" during tooth extraction.
11. Describe when a Cryer instrument may be needed.
12. Discuss "air emphysema" and how to prevent it.
13. List the steps normally used in tooth removal.
14. Describe ankylosis.
15. Discuss when it may be acceptable to leave a root tip in place.
16. List six reasons for continuing postoperative pain.
17. List five potential reasons for excess bleeding during routine tooth extraction.
18. Discuss continuation or stopping Coumadin during oral surgical procedures.
19. Discuss when surgical extraction procedures are recommended instead of routine forcep extraction.
20. Discuss the potential levels of involvement of general dental practitioners in oral surgical procedures, and when the patient should be referred to an oral and maxillofacial surgeon.

## OVERVIEW

### V4116 ORAL SURGERY IN GENERAL PRACTICE

The majority of tooth extractions are accomplished by general dental practitioners. However, few dental schools teach this technique in detail, and most dental students graduate from school with minimal experience in oral surgical procedures. As a result, the majority of techniques in this important area of dentistry are learned by experience.

This presentation provides information on many of the basic concepts in understanding and accomplishing routine oral surgical procedures related to tooth extraction:

1. **Adequate visibility** is a requirement to facilitate relatively easy and predictable tooth extraction. Flap reflection for removal of some teeth is shown in the video.
2. **“Luxators”** are one of the most useful of all instruments for tooth extraction. This instrument appears to be an elevator on first sight. However, the tips are much thinner and knife-like. They can be wedged easily between the tooth structure and bone that is thick enough to allow force to be placed on it without breaking. The result is a slow, but sure displacement of the tooth from its socket.
3. **Inter-radicular bone removal.** Bone between roots can be a severe impediment to easy tooth removal. If teeth cannot be removed without inter-radicular bone removal, then the small piece of bone should be removed, usually allowing easy extraction.
4. **Mesial and/or distal troughing.** Occasionally, it is difficult to remove teeth or teeth fragments with minimal visual or physical access and coronal tooth structure remaining. A small trough can be made in the bone on the mesial or distal or both aspects of the involved tooth to allow necessary force to be delivered to the affected tooth for removal.
5. **Sectioning upper first or second molars.** Many molars require sectioning for atraumatic removal. Sectioning allows the roots of a multi-rooted tooth to be removed one or two at a time. This video shows the location and depth of tooth sectioning to facilitate easier tooth removal when necessary.
6. **Buccal bone removal on upper third molars.** Some maxillary third molars are difficult to remove without removing a small amount of bone on the facial tooth surface. Avoiding this bone removal often results in breaking a piece of bone from the tuberosity area.

This presentation demonstrates the points enumerated above in a live clinical surgery procedure. A typical patient requiring tooth extraction has the following teeth removed: maxillary first molar, maxillary first and second premolars, and maxillary canine.

## REFERENCES

### V4116 ORAL SURGERY IN GENERAL PRACTICE

1. Herman WW, Konzelman JL and Sutley SH. Current perspectives on dental patients receiving coumarin anticoagulant therapy. JADA 128(3):327. March, 1997.
2. Koerner, KR. Editor. Manual of minor oral surgery for the general dentist. Blackwell Munksgaard. Ames, Iowa. 2006. Chapter 2: Surgical Extractions by Dr. Hussam Batal and Dr. Gregg Jacob.
3. Koerner, KR. Editor. Manual of minor oral surgery for the general dentist. Blackwell Munksgaard. Ames, Iowa. 2006. Chapter 10: Management of peri-operative bleeding by Dr. Karl Koerner and Dr. William McBee.
4. Wahl MJ. Myths of dental surgery in patients receiving anticoagulant therapy. JADA 131(1):77. January, 2000.
5. Johnson-Leong C and Rada RE. The use of low-molecular-weight heparins in outpatient oral surgery for patients receiving anticoagulation therapy. JADA 133(8):1083. August, 2002.
6. Peterson LJ. Senior Editor. Contemporary oral and maxillofacial surgery, 4<sup>th</sup> ed. Mosby. St. Louis, MO. 2003. Chapters 6, 7, and 8 on surgical armamentarium, uncomplicated exodontia, and complicated exodontia.
7. Brosnihan J and Rice C. Divide and conquer: Extracting maxillary first molars. Dent Today. October, 1998.
8. Chen SC, Lin FY, and Chang KJ. Subcutaneous emphysema and pneumomediastinum after dental extraction. Am J Emerg Med 17(7):678. November, 1999.
9. Rossiter JL and Hendrix RA. Iatrogenic subcutaneous cervicofacial and mediastinal emphysema. J Otolaryngol 20(5)315. October, 1991.



## POST TEST

### V4116 ORAL SURGERY IN GENERAL PRACTICE

1. "Luxators":
  - a. appear to be similar to elevators.
  - b. have much thinner tips than elevators.
  - c. can be broken relatively easily.
  - d. all of the above.
  
2. When sectioning a maxillary molar to facilitate removal, the first cut is usually:
  - a. between the facial segment with the two roots and the segment that connects to the lingual root.
  - b. between the two facial roots.
  - c. in a transverse direction from the mesial-facial to the distal-lingual of the tooth.
  - d. none of the above.
  
3. Removing bone from the facial surface of an upper third molar:
  - a. assists by loosening the tooth.
  - b. allows the facial aspect of the tooth root(s) to be removed relatively easily.
  - c. promotes faster healing of the extraction site.
  - d. is a significantly traumatic procedure.
  
4. If after 4 or 5 minutes of luxation of a lower molar, the tooth is not mobile in the bone socket:
  - a. refer the patient to a surgically oriented dentist.
  - b. section the tooth in a mesial-distal direction.
  - c. section the tooth in a facial-lingual direction.
  - d. continue to luxate the tooth for 2 more minutes.
  
5. After a tooth is sectioned, the first root should be removed with a:
  - a. straight elevator.
  - b. forcep.
  - c. small Cryer instrument.
  - d. Luxator.
  - e. any of the above.
  
6. The majority of teeth are extracted by:
  - a. oral and maxillofacial surgeons.
  - b. general dentists.
  - c. endodontists.
  - d. pediatric dentists.
  
7. Ingested agents that can cause an interference with adequate clotting include:
  - a. anticancer drugs.
  - b. aspirin.
  - c. alcohol.
  - d. antibiotics.
  - e. any of the above.

**POST TEST (CONT'D)**

**V4116 ORAL SURGERY IN GENERAL PRACTICE**

8. When patients requiring a tooth extraction are on Coumadin, consult with the physician who has them on Coumadin and:
- a. stop the Coumadin a week before the extraction.
  - b. continue the Coumadin right through the oral surgical procedure.
  - c. stop the Coumadin, start bridging therapy, and then restart it again.
  - d. none of the above.
9. A typical reason for postoperative pain after an extraction is:
- a. leaving non-mobile root tips in the socket.
  - b. sutures too tight.
  - c. alveolar bone left rounded surrounding the tooth socket.
  - d. use of a Luxator.
10. Herbs that can cause excess bleeding after tooth extraction include:
- a. garlic.
  - b. ginseng.
  - c. ginger.
  - d. chamomile.
  - e. all of the above.
11. Occasionally, it is acceptable to leave a broken-off root tip in the socket if:
- a. the tooth is broken off at the gingival line.
  - b. the root tip has no sign of periapical pathosis.
  - c. the root tip is solidly in place and is no longer than 5 mm.
  - d. the patient is tired.

**PLEASE PRINT**

Name \_\_\_\_\_

Name of video purchaser (if different from above) \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Phone No. \_\_\_\_\_

Indicate which type of credit you wish to obtain  AGD  State  Both

AGD No. \_\_\_\_\_

State License No. \_\_\_\_\_